



## Target Species

Based on 187,457 complete checklists

**427** species observed in Colorado, US (region/US-CO) in Apr that you need for your **Colorado Life List**

1. American Robin	50.95% frequency
2. Red-winged Blackbird	45.36%
3. Mallard	43.41%
4. Canada Goose	40.45%
5. House Finch	35.91%
6. Northern Flicker	35.80%
7. European Starling	30.88%
8. Western Meadowlark	29.48%
9. Black-billed Magpie	27.44%
10. Black-capped Chickadee	27.43%
11. Common Grackle	27.19%
12. American Crow	26.40%
13. Mourning Dove	25.59%
14. Red-tailed Hawk	24.95%
15. Eurasian Collared-Dove	24.57%
16. Gadwall	24.43%
17. Killdeer	22.57%
18. Song Sparrow	20.48%

19. Great Blue Heron	<b>19.66%</b>
20. Northern Shoveler	<b>19.45%</b>
21. Say's Phoebe	<b>19.34%</b>
22. Dark-eyed Junco	<b>18.97%</b>
23. American Coot	<b>17.68%</b>
24. Yellow-rumped Warbler	<b>17.11%</b>
25. Blue Jay	<b>16.96%</b>
26. Double-crested Cormorant	<b>16.48%</b>
27. Green-winged Teal	<b>15.97%</b>
28. House Sparrow	<b>15.63%</b>
29. Common Raven	<b>15.56%</b>
30. American Goldfinch	<b>14.11%</b>
31. White-crowned Sparrow	<b>13.83%</b>
32. Downy Woodpecker	<b>13.67%</b>
33. Turkey Vulture	<b>13.67%</b>
34. American Kestrel	<b>13.66%</b>
35. Spotted Towhee	<b>13.55%</b>
36. Bufflehead	<b>12.84%</b>
37. Blue-winged Teal	<b>12.48%</b>
38. Rock Pigeon	<b>12.44%</b>
39. Lesser Scaup	<b>12.40%</b>
40. Cinnamon Teal	<b>11.80%</b>
41. American White Pelican	<b>11.75%</b>

42. <b>Tree Swallow</b>	<b>11.12%</b>
43. <b>Ring-billed Gull</b>	<b>10.97%</b>
44. <b>American Wigeon</b>	<b>10.93%</b>
45. <b>Barn Swallow</b>	<b>10.51%</b>
46. <b>White-breasted Nuthatch</b>	<b>10.16%</b>
47. <b>Osprey</b>	<b>9.67%</b>
48. <b>Ring-necked Duck</b>	<b>9.37%</b>
49. <b>American Avocet</b>	<b>8.84%</b>
50. <b>Mountain Chickadee</b>	<b>8.48%</b>
51. <b>Belted Kingfisher</b>	<b>8.45%</b>
52. <b>Common Merganser</b>	<b>8.39%</b>
53. <b>Western Grebe</b>	<b>8.39%</b>
54. <b>Bald Eagle</b>	<b>8.32%</b>
55. <b>Ruddy Duck</b>	<b>8.23%</b>
56. <b>Horned Lark</b>	<b>7.96%</b>
57. <b>Pine Siskin</b>	<b>7.13%</b>
58. <b>Mountain Bluebird</b>	<b>7.08%</b>
59. <b>Greater Yellowlegs</b>	<b>6.54%</b>
60. <b>Pied-billed Grebe</b>	<b>6.35%</b>
61. <b>Red-breasted Nuthatch</b>	<b>6.19%</b>
62. <b>Bushtit</b>	<b>6.10%</b>
63. <b>Cooper's Hawk</b>	<b>6.01%</b>
64. <b>Steller's Jay</b>	<b>5.99%</b>

65. Redhead	5.96%
66. Woodhouse's Scrub-Jay	5.80%
67. Franklin's Gull	5.66%
68. Swainson's Hawk	5.65%
69. Yellow-headed Blackbird	5.42%
70. Great Horned Owl	5.39%
71. Common Goldeneye	5.22%
72. Vesper Sparrow	5.08%
73. Chipping Sparrow	5.00%
74. Eared Grebe	4.86%
75. Brown-headed Cowbird	4.83%
76. Great-tailed Grackle	4.74%
77. Northern Harrier	4.71%
78. House Wren	4.64%
79. Lesser Yellowlegs	4.57%
80. Wood Duck	4.51%
81. Hooded Merganser	4.48%
82. Pygmy Nuthatch	4.44%
83. Horned Grebe	4.35%
84. Hairy Woodpecker	3.98%
85. Violet-green Swallow	3.98%
86. Western Bluebird	3.89%
87. Broad-tailed Hummingbird	3.73%

88. Townsend's Solitaire	3.53%
89. Ruby-crowned Kinglet	3.53%
90. Cassin's Finch	3.46%
91. Wilson's Snipe	3.44%
92. White-faced Ibis	3.43%
93. Snowy Egret	3.20%
94. Northern Rough-winged Swallow	3.11%
95. California Gull	3.09%
96. Brewer's Blackbird	3.07%
97. Wild Turkey	2.84%
98. Loggerhead Shrike	2.83%
99. Cliff Swallow	2.51%
100. Northern Pintail	2.44%
101. Golden Eagle	2.39%
102. Willet	2.27%
103. Lincoln's Sparrow	2.25%
104. Least Sandpiper	2.19%
105. Lesser Goldfinch	2.11%
106. White-throated Swift	2.06%
107. Black-crowned Night Heron	2.02%
108. Long-billed Dowitcher	1.98%
109. Black-necked Stilt	1.94%
110. American Pipit	1.92%

111. <b>Orange-crowned Warbler</b>	<b>1.91%</b>
112. <b>Marsh Wren</b>	<b>1.87%</b>
113. <b>Wilson's Phalarope</b>	<b>1.80%</b>
114. <b>Spotted Sandpiper</b>	<b>1.78%</b>
115. <b>Bonaparte's Gull</b>	<b>1.75%</b>
116. <b>Rock Wren</b>	<b>1.75%</b>
117. <b>Canvasback</b>	<b>1.74%</b>
118. <b>Western Kingbird</b>	<b>1.72%</b>
119. <b>Savannah Sparrow</b>	<b>1.67%</b>
120. <b>Evening Grosbeak</b>	<b>1.64%</b>
121. <b>Sharp-shinned Hawk</b>	<b>1.64%</b>
122. <b>Marbled Godwit</b>	<b>1.52%</b>
123. <b>Sandhill Crane</b>	<b>1.48%</b>
124. <b>Sage Thrasher</b>	<b>1.47%</b>
125. <b>Virginia Rail</b>	<b>1.46%</b>
126. <b>Burrowing Owl</b>	<b>1.42%</b>
127. <b>Eastern Phoebe</b>	<b>1.33%</b>
128. <b>Red Crossbill</b>	<b>1.32%</b>
129. <b>Clark's Grebe</b>	<b>1.31%</b>
130. <b>Red-breasted Merganser</b>	<b>1.31%</b>
131. <b>Bank Swallow</b>	<b>1.25%</b>
132. <b>American Dipper</b>	<b>1.23%</b>
133. <b>Solitary Sandpiper</b>	<b>1.20%</b>

134. <b>Peregrine Falcon</b>	<b>1.17%</b>
135. <b>Common Loon</b>	<b>1.14%</b>
136. <b>Blue-gray Gnatcatcher</b>	<b>1.14%</b>
137. <b>Canyon Wren</b>	<b>1.13%</b>
138. <b>Baird's Sandpiper</b>	<b>1.09%</b>
139. <b>Cedar Waxwing</b>	<b>1.06%</b>
140. <b>Great Egret</b>	<b>1.04%</b>
141. <b>Red-naped Sapsucker</b>	<b>0.9864%</b>
142. <b>Lark Sparrow</b>	<b>0.9698%</b>
143. <b>Prairie Falcon</b>	<b>0.9528%</b>
144. <b>Long-billed Curlew</b>	<b>0.9378%</b>
145. <b>Cackling Goose</b>	<b>0.9367%</b>
146. <b>Brown Creeper</b>	<b>0.9197%</b>
147. <b>Clark's Nutcracker</b>	<b>0.9106%</b>
148. <b>Herring Gull</b>	<b>0.9021%</b>
149. <b>Hermit Thrush</b>	<b>0.8765%</b>
150. <b>Bewick's Wren</b>	<b>0.8679%</b>
151. <b>Black Phoebe</b>	<b>0.8669%</b>
152. <b>Brewer's Sparrow</b>	<b>0.8503%</b>
153. <b>Pinyon Jay</b>	<b>0.8370%</b>
154. <b>Brown-capped Rosy-Finch</b>	<b>0.7922%</b>
155. <b>Northern Mockingbird</b>	<b>0.7447%</b>
156. <b>Gambel's Quail</b>	<b>0.7362%</b>

157. <b>White-winged Dove</b>	<b>0.7175%</b>
158. <b>Western Sandpiper</b>	<b>0.7143%</b>
159. <b>Juniper Titmouse</b>	<b>0.6892%</b>
160. <b>Scaled Quail</b>	<b>0.6876%</b>
161. <b>Semipalmated Plover</b>	<b>0.6828%</b>
162. <b>Snow Goose</b>	<b>0.6791%</b>
163. <b>Black-chinned Hummingbird</b>	<b>0.6764%</b>
164. <b>Greater Scaup</b>	<b>0.6487%</b>
165. <b>Semipalmated Sandpiper</b>	<b>0.6449%</b>
166. <b>Ferruginous Hawk</b>	<b>0.6423%</b>
167. <b>Curve-billed Thrasher</b>	<b>0.6380%</b>
168. <b>Green-tailed Towhee</b>	<b>0.5863%</b>
169. <b>Canyon Towhee</b>	<b>0.5644%</b>
170. <b>Merlin</b>	<b>0.5585%</b>
171. <b>Mountain Plover</b>	<b>0.5489%</b>
172. <b>Lewis's Woodpecker</b>	<b>0.5228%</b>
173. <b>Sora</b>	<b>0.5201%</b>
174. <b>Gray-crowned Rosy-Finch</b>	<b>0.5185%</b>
175. <b>Brown Thrasher</b>	<b>0.5084%</b>
176. <b>Pine Grosbeak</b>	<b>0.5046%</b>
177. <b>Thick-billed Longspur</b>	<b>0.4945%</b>
178. <b>Broad-winged Hawk</b>	<b>0.4678%</b>
179. <b>Fox Sparrow</b>	<b>0.4678%</b>



180. Forster's Tern	0.4620%
181. Williamson's Sapsucker	0.4513%
182. Harris's Sparrow	0.4385%
183. Black-throated Sparrow	0.4246%
184. Rough-legged Hawk	0.4150%
185. Black-throated Gray Warbler	0.4134%
186. Greater Sage-Grouse	0.4118%
187. Ladder-backed Woodpecker	0.4054%
188. Caspian Tern	0.3953%
189. Chestnut-collared Longspur	0.3900%
190. Chihuahuan Raven	0.3756%
191. Yellow Warbler	0.3718%
192. Greater Prairie-Chicken	0.3697%
193. Bullock's Oriole	0.3611%
194. Common Yellowthroat	0.3542%
195. Sharp-tailed Grouse	0.3489%
196. Gunnison Sage-Grouse	0.3457%
197. Barrow's Goldeneye	0.3377%
198. White-throated Sparrow	0.3355%
199. Black Rosy-Finch	0.3281%
200. American Tree Sparrow	0.3174%
201. Snowy Plover	0.2945%
202. Gray Flycatcher	0.2902%

203. <b>Dusky Grouse</b>	<b>0.2849%</b>
204. <b>Wilson's Warbler</b>	<b>0.2779%</b>
205. <b>Canada Jay</b>	<b>0.2774%</b>
206. <b>Eastern Bluebird</b>	<b>0.2715%</b>
207. <b>Virginia's Warbler</b>	<b>0.2699%</b>
208. <b>Lesser Black-backed Gull</b>	<b>0.2603%</b>
209. <b>Band-tailed Pigeon</b>	<b>0.2523%</b>
210. <b>Northern Cardinal</b>	<b>0.2513%</b>
211. <b>Sagebrush Sparrow</b>	<b>0.2475%</b>
212. <b>Western Cattle Egret</b>	<b>0.2449%</b>
213. <b>Northern Parula</b>	<b>0.2395%</b>
214. <b>Lazuli Bunting</b>	<b>0.2225%</b>
215. <b>Golden-crowned Kinglet</b>	<b>0.2219%</b>
216. <b>Barn Owl</b>	<b>0.2155%</b>
217. <b>Greater White-fronted Goose</b>	<b>0.1979%</b>
218. <b>American Three-toed Woodpecker</b>	<b>0.1963%</b>
219. <b>Whimbrel</b>	<b>0.1862%</b>
220. <b>Lark Bunting</b>	<b>0.1856%</b>
221. <b>White-tailed Ptarmigan</b>	<b>0.1744%</b>
222. <b>Glossy Ibis</b>	<b>0.1723%</b>
223. <b>Long-tailed Duck</b>	<b>0.1712%</b>
224. <b>Red-bellied Woodpecker</b>	<b>0.1696%</b>
225. <b>Eastern Screech-Owl</b>	<b>0.1675%</b>

226. <b>Black-headed Grosbeak</b>	<b>0.1563%</b>
227. <b>Ash-throated Flycatcher</b>	<b>0.1558%</b>
228. <b>Northern Saw-whet Owl</b>	<b>0.1499%</b>
229. <b>American Goshawk</b>	<b>0.1494%</b>
230. <b>Ross's Goose</b>	<b>0.1462%</b>
231. <b>Long-eared Owl</b>	<b>0.1456%</b>
232. <b>Plumbeous Vireo</b>	<b>0.1366%</b>
233. <b>Neotropic Cormorant</b>	<b>0.1339%</b>
234. <b>Clay-colored Sparrow</b>	<b>0.1339%</b>
235. <b>Grasshopper Sparrow</b>	<b>0.1334%</b>
236. <b>Cassin's Sparrow</b>	<b>0.1302%</b>
237. <b>American Bittern</b>	<b>0.1280%</b>
238. <b>Chukar</b>	<b>0.1254%</b>
239. <b>Golden-crowned Sparrow</b>	<b>0.1216%</b>
240. <b>Vermilion Flycatcher</b>	<b>0.1190%</b>
241. <b>Chimney Swift</b>	<b>0.1184%</b>
242. <b>Lucy's Warbler</b>	<b>0.1184%</b>
243. <b>Brown Pelican</b>	<b>0.1147%</b>
244. <b>Northern Bobwhite</b>	<b>0.1115%</b>
245. <b>Northern Pygmy-Owl</b>	<b>0.1067%</b>
246. <b>Iceland Gull</b>	<b>0.1035%</b>
247. <b>Yellow-crowned Night Heron</b>	<b>0.1003%</b>
248. <b>Boreal Owl</b>	<b>0.0934%</b>

249. <b>Western Tanager</b>	<b>0.0934%</b>
250. <b>Lesser Prairie-Chicken</b>	<b>0.0886%</b>
251. <b>Western Screech-Owl</b>	<b>0.0864%</b>
252. <b>Nashville Warbler</b>	<b>0.0864%</b>
253. <b>Greater Roadrunner</b>	<b>0.0853%</b>
254. <b>Rufous-crowned Sparrow</b>	<b>0.0843%</b>
255. <b>Gray Vireo</b>	<b>0.0773%</b>
256. <b>Short-eared Owl</b>	<b>0.0752%</b>
257. <b>Field Sparrow</b>	<b>0.0715%</b>
258. <b>Swamp Sparrow</b>	<b>0.0710%</b>
259. <b>Common Poorwill</b>	<b>0.0699%</b>
260. <b>Dunlin</b>	<b>0.0699%</b>
261. <b>Pectoral Sandpiper</b>	<b>0.0699%</b>
262. <b>Black-and-white Warbler</b>	<b>0.0693%</b>
263. <b>Sanderling</b>	<b>0.0645%</b>
264. <b>Cassin's Kingbird</b>	<b>0.0640%</b>
265. <b>Summer Tanager</b>	<b>0.0640%</b>
266. <b>Grace's Warbler</b>	<b>0.0635%</b>
267. <b>Yellow-throated Vireo</b>	<b>0.0608%</b>
268. <b>Green Heron</b>	<b>0.0603%</b>
269. <b>Gray Catbird</b>	<b>0.0603%</b>
270. <b>Yellow-throated Warbler</b>	<b>0.0592%</b>
271. <b>Bohemian Waxwing</b>	<b>0.0571%</b>

272. <b>Common Gallinule</b>	<b>0.0560%</b>
273. <b>Mexican Duck</b>	<b>0.0534%</b>
274. <b>Swainson's Thrush</b>	<b>0.0528%</b>
275. <b>Hooded Warbler</b>	<b>0.0518%</b>
276. <b>Prothonotary Warbler</b>	<b>0.0480%</b>
277. <b>Townsend's Warbler</b>	<b>0.0432%</b>
278. <b>Cassin's Vireo</b>	<b>0.0427%</b>
279. <b>Louisiana Waterthrush</b>	<b>0.0400%</b>
280. <b>Surf Scoter</b>	<b>0.0395%</b>
281. <b>Black-bellied Plover</b>	<b>0.0395%</b>
282. <b>Red-necked Grebe</b>	<b>0.0373%</b>
283. <b>Lapland Longspur</b>	<b>0.0373%</b>
284. <b>Rusty Blackbird</b>	<b>0.0373%</b>
285. <b>Red-necked Phalarope</b>	<b>0.0368%</b>
286. <b>Carolina Wren</b>	<b>0.0352%</b>
287. <b>Glaucous Gull</b>	<b>0.0341%</b>
288. <b>Palm Warbler</b>	<b>0.0336%</b>
289. <b>Common Redpoll</b>	<b>0.0320%</b>
290. <b>Northern Shrike</b>	<b>0.0315%</b>
291. <b>Dusky Flycatcher</b>	<b>0.0304%</b>
292. <b>Stilt Sandpiper</b>	<b>0.0293%</b>
293. <b>Rose-breasted Grosbeak</b>	<b>0.0288%</b>
294. <b>Indigo Bunting</b>	<b>0.0277%</b>

295. Eurasian Wigeon	0.0256%
296. Piping Plover	0.0251%
297. Scissor-tailed Flycatcher	0.0240%
298. Reddish Egret	0.0229%
299. Hooded Oriole	0.0229%
300. Short-billed Gull	0.0224%
301. Eastern Kingbird	0.0224%
302. Red-throated Loon	0.0213%
303. Yellow-bellied Sapsucker	0.0213%
304. Tundra Swan	0.0208%
305. Anna's Hummingbird	0.0203%
306. Short-billed Dowitcher	0.0197%
307. Pacific Wren	0.0192%
308. White-eyed Vireo	0.0187%
309. Pacific Loon	0.0171%
310. Trumpeter Swan	0.0165%
311. Warbling Vireo	0.0165%
312. Black Rail	0.0160%
313. Least Flycatcher	0.0160%
314. Winter Wren	0.0160%
315. White-winged Scoter	0.0155%
316. Vaux's Swift	0.0155%
317. Little Blue Heron	0.0133%

318. Upland Sandpiper	0.0128%
319. Yellow-billed Loon	0.0128%
320. Acorn Woodpecker	0.0123%
321. American Golden-Plover	0.0117%
322. Yellow-breasted Chat	0.0117%
323. Hepatic Tanager	0.0117%
324. Laughing Gull	0.0112%
325. Black-chinned Sparrow	0.0112%
326. Tennessee Warbler	0.0112%
327. Varied Thrush	0.0107%
328. Glaucous-winged Gull	0.0101%
329. Hudsonian Godwit	0.0096%
330. Worm-eating Warbler	0.0096%
331. White-winged Crossbill	0.0091%
332. Black Scoter	0.0085%
333. Black-legged Kittiwake	0.0085%
334. MacGillivray's Warbler	0.0085%
335. California Quail	0.0075%
336. Lesser Nighthawk	0.0075%
337. Red-headed Woodpecker	0.0075%
338. Northern Waterthrush	0.0075%
339. Ruddy Turnstone	0.0069%
340. Kentucky Warbler	0.0069%

341. <b>American Redstart</b>	<b>0.0069%</b>
342. <b>Scarlet Tanager</b>	<b>0.0069%</b>
343. <b>Common Tern</b>	<b>0.0064%</b>
344. <b>Flammulated Owl</b>	<b>0.0064%</b>
345. <b>Common Black Hawk</b>	<b>0.0059%</b>
346. <b>Cape May Warbler</b>	<b>0.0053%</b>
347. <b>Painted Bunting</b>	<b>0.0053%</b>
348. <b>Harris's Hawk</b>	<b>0.0048%</b>
349. <b>White Ibis</b>	<b>0.0043%</b>
350. <b>Mississippi Kite</b>	<b>0.0043%</b>
351. <b>Blue-headed Vireo</b>	<b>0.0043%</b>
352. <b>Eastern Meadowlark</b>	<b>0.0043%</b>
353. <b>Chihuahuan Meadowlark</b>	<b>0.0043%</b>
354. <b>Olive-sided Flycatcher</b>	<b>0.0037%</b>
355. <b>Western Wood-Pewee</b>	<b>0.0037%</b>
356. <b>Purple Finch</b>	<b>0.0037%</b>
357. <b>Rufous Hummingbird</b>	<b>0.0032%</b>
358. <b>Tricolored Heron</b>	<b>0.0032%</b>
359. <b>Purple Martin</b>	<b>0.0032%</b>
360. <b>Baltimore Oriole</b>	<b>0.0032%</b>
361. <b>Golden-winged Warbler</b>	<b>0.0032%</b>
362. <b>Pine Warbler</b>	<b>0.0032%</b>
363. <b>Great Black-backed Gull</b>	<b>0.0027%</b>



364. <b>Blue-winged Warbler</b>	<b>0.0027%</b>
365. <b>Garganey</b>	<b>0.0021%</b>
366. <b>American Woodcock</b>	<b>0.0021%</b>
367. <b>Black-headed Gull</b>	<b>0.0021%</b>
368. <b>Least Tern</b>	<b>0.0021%</b>
369. <b>Black Tern</b>	<b>0.0021%</b>
370. <b>Zone-tailed Hawk</b>	<b>0.0021%</b>
371. <b>Hammond's Flycatcher</b>	<b>0.0021%</b>
372. <b>Western Flycatcher</b>	<b>0.0021%</b>
373. <b>Sedge Wren</b>	<b>0.0021%</b>
374. <b>Gray-cheeked Thrush</b>	<b>0.0021%</b>
375. <b>Eastern Towhee</b>	<b>0.0021%</b>
376. <b>Orchard Oriole</b>	<b>0.0021%</b>
377. <b>Ovenbird</b>	<b>0.0021%</b>
378. <b>Blackpoll Warbler</b>	<b>0.0021%</b>
379. <b>Painted Redstart</b>	<b>0.0021%</b>
380. <b>Blue Grosbeak</b>	<b>0.0021%</b>
381. <b>Ruby-throated Hummingbird</b>	<b>0.0016%</b>
382. <b>Least Bittern</b>	<b>0.0016%</b>
383. <b>Wood Thrush</b>	<b>0.0016%</b>
384. <b>Baird's Sparrow</b>	<b>0.0016%</b>
385. <b>Black-throated Blue Warbler</b>	<b>0.0016%</b>
386. <b>Black-throated Green Warbler</b>	<b>0.0016%</b>

387. <b>Brant</b>	<b>0.0011%</b>
388. <b>Calliope Hummingbird</b>	<b>0.0011%</b>
389. <b>King Rail</b>	<b>0.0011%</b>
390. <b>Red Phalarope</b>	<b>0.0011%</b>
391. <b>Little Gull</b>	<b>0.0011%</b>
392. <b>Spotted Owl</b>	<b>0.0011%</b>
393. <b>Great Crested Flycatcher</b>	<b>0.0011%</b>
394. <b>Red-eyed Vireo</b>	<b>0.0011%</b>
395. <b>Smith's Longspur</b>	<b>0.0011%</b>
396. <b>Scott's Oriole</b>	<b>0.0011%</b>
397. <b>Chestnut-sided Warbler</b>	<b>0.0011%</b>
398. <b>Prairie Warbler</b>	<b>0.0011%</b>
399. <b>Black-bellied Whistling-Duck</b>	<b>0.0005%</b>
400. <b>Inca Dove</b>	<b>0.0005%</b>
401. <b>Broad-billed Hummingbird</b>	<b>0.0005%</b>
402. <b>Whooping Crane</b>	<b>0.0005%</b>
403. <b>Ruff</b>	<b>0.0005%</b>
404. <b>Buff-breasted Sandpiper</b>	<b>0.0005%</b>
405. <b>White-rumped Sandpiper</b>	<b>0.0005%</b>
406. <b>Slaty-backed Gull</b>	<b>0.0005%</b>
407. <b>Crested Caracara</b>	<b>0.0005%</b>
408. <b>Long-billed Thrasher</b>	<b>0.0005%</b>
409. <b>Veery</b>	<b>0.0005%</b>

410. <b>Sprague's Pipit</b>	<b>0.0005%</b>
411. <b>Brambling</b>	<b>0.0005%</b>
412. <b>Cassia Crossbill</b>	<b>0.0005%</b>
413. <b>LeConte's Sparrow</b>	<b>0.0005%</b>
414. <b>Magnolia Warbler</b>	<b>0.0005%</b>
415. <b>Blackburnian Warbler</b>	<b>0.0005%</b>
416. <b>Hermit Warbler</b>	<b>0.0005%</b>
417. <b>Dickcissel</b>	<b>0.0005%</b>
418. <b>Ross's Gull</b>	<b>0.0000%</b>
419. <b>Black Skimmer</b>	<b>0.0000%</b>
420. <b>Anhinga</b>	<b>0.0000%</b>
421. <b>Red-shouldered Hawk</b>	<b>0.0000%</b>
422. <b>Snowy Owl</b>	<b>0.0000%</b>
423. <b>Couch's Kingbird</b>	<b>0.0000%</b>
424. <b>Bobolink</b>	<b>0.0000%</b>
425. <b>Bronzed Cowbird</b>	<b>0.0000%</b>
426. <b>Pyrrhuloxia</b>	<b>0.0000%</b>
<b>EXOTIC: PROVISIONAL</b>	
427. <b>Ring-necked Pheasant</b>	<b>1.50% frequency</b> ■
<b>EXOTIC: ESCAPEE</b>	
<b>Graylag Goose</b>	<b>0.0635% frequency</b> 
<b>Mute Swan</b>	<b>0.0485%</b> 

<b>Swan Goose</b>	<b>0.0187%</b>
<b>African Collared-Dove</b>	<b>0.0133%</b>
<b>Muscovy Duck</b>	<b>0.0107%</b>
<b>Mandarin Duck</b>	<b>0.0085%</b>
<b>Monk Parakeet</b>	<b>0.0048%</b>
<b>Red Junglefowl</b>	<b>0.0037%</b>
<b>Helmeted Guineafowl</b>	<b>0.0021%</b>
<b>Indian Peafowl</b>	<b>0.0016%</b>
<b>European Goldfinch</b>	<b>0.0011%</b>
<b>Black Swan</b>	<b>0.0005%</b>
<b>Budgerigar</b>	<b>0.0005%</b>
<b>Zebra Finch</b>	<b>0.0005%</b>
<b>Cockatiel</b>	<b>0.0000%</b>
<b>Island Canary</b>	<b>0.0000%</b>

**HYBRIDS**

<b>Graylag x Swan Goose (hybrid)</b>	<b>0.0672%</b> frequency
<b>Black x Eastern Phoebe (hybrid)</b>	<b>0.0507%</b>
<b>Graylag x Canada Goose (hybrid)</b>	<b>0.0448%</b>
<b>Blue-winged x Cinnamon Teal (hybrid)</b>	<b>0.0400%</b>
<b>Mallard x Mexican Duck (hybrid)</b>	<b>0.0363%</b>
<b>Western x Clark's Grebe (hybrid)</b>	<b>0.0315%</b>
<b>Glossy x White-faced Ibis (hybrid)</b>	<b>0.0187%</b>
<b>Greater White-fronted x Canada Goose (hybrid)</b>	<b>0.0123%</b>

Gadwall x Mallard (hybrid)	0.0107%
Steller's Jay x Woodhouse's Scrub-Jay (hybrid)	0.0101%
American Wigeon x Mallard (hybrid)	0.0059%
Cinnamon Teal x Northern Shoveler (hybrid)	0.0053%
Northern Shoveler x Gadwall (hybrid)	0.0053%
Eurasian x American Wigeon (hybrid)	0.0053%
Herring x Glaucous-winged Gull (hybrid)	0.0053%
Snow x Greater White-fronted Goose (hybrid)	0.0048%
Domestic goose sp. x Canada Goose (hybrid)	0.0032%
Herring x Glaucous Gull (hybrid)	0.0032%
Black-capped x Mountain Chickadee (hybrid)	0.0032%
Snow x Cackling Goose (hybrid)	0.0027%
Mallard x Mexican/Mottled Duck (hybrid)	0.0027%
Spotted x Eastern Towhee (hybrid)	0.0027%
Mallard x American Black Duck (hybrid)	0.0021%
Ring-necked Duck x Lesser Scaup (hybrid)	0.0021%
Snow x Ross's Goose (hybrid)	0.0016%
Blue-winged x Green-winged Teal (hybrid)	0.0016%
Common Goldeneye x Hooded Merganser (hybrid)	0.0016%
Eurasian x African Collared-Dove (hybrid)	0.0016%
Bullock's x Baltimore Oriole (hybrid)	0.0016%
Ross's x Cackling Goose (hybrid)	0.0011%

Snow/Ross's x Cackling/Canada Goose (hybrid)	0.0011%
Blue-winged Teal x Northern Shoveler (hybrid)	0.0011%
Muscovy Duck x Mallard (hybrid)	0.0011%
Northern Shoveler x Mallard (hybrid)	0.0011%
Mallard x Mottled Duck (hybrid)	0.0011%
Gadwall x Northern Pintail (hybrid)	0.0011%
Mallard x Northern Pintail (hybrid)	0.0011%
Gadwall x Green-winged Teal (hybrid)	0.0011%
Redhead x Ring-necked Duck (hybrid)	0.0011%
Bufflehead x Common Goldeneye (hybrid)	0.0011%
Common x Barrow's Goldeneye (hybrid)	0.0011%
Yellow-bellied x Red-breasted Sapsucker (hybrid)	0.0011%
Golden-winged x Blue-winged Warbler (hybrid)	0.0011%
Snow x Canada Goose (hybrid)	0.0005%
Ross's x Canada Goose (hybrid)	0.0005%
Cinnamon x Green-winged Teal (hybrid)	0.0005%
Redhead x Greater Scaup (hybrid)	0.0005%
Bufflehead x goldeneye sp. (hybrid)	0.0005%
Red-tailed x Ferruginous Hawk (hybrid)	0.0005%
Yellow-bellied x Red-naped Sapsucker (hybrid)	0.0005%
Chipping x Clay-colored Sparrow (hybrid)	0.0005%
White-crowned x Golden-crowned Sparrow (hybrid)	0.0005%

---

Canyon x Spotted Towhee (hybrid)	<b>0.0005%</b>
Western x Eastern Meadowlark (hybrid)	<b>0.0005%</b>
Lazuli x Indigo Bunting (hybrid)	<b>0.0005%</b>

---