



## Target Species

Based on 112,352 complete checklists

**410** species observed in Colorado, US (region/US-CO) in Aug that you need for your **Colorado Life List**

1. Mourning Dove	<b>33.81%</b> frequency
2. House Finch	<b>33.47%</b>
3. Broad-tailed Hummingbird	<b>31.85%</b>
4. Northern Flicker	<b>30.64%</b>
5. Black-capped Chickadee	<b>29.12%</b>
6. American Robin	<b>28.88%</b>
7. Barn Swallow	<b>28.53%</b>
8. Mallard	<b>24.40%</b>
9. American Goldfinch	<b>23.26%</b>
10. Eurasian Collared-Dove	<b>21.25%</b>
11. American Crow	<b>20.79%</b>
12. House Wren	<b>20.33%</b>
13. Black-billed Magpie	<b>20.22%</b>
14. Lesser Goldfinch	<b>18.70%</b>
15. Western Wood-Pewee	<b>18.51%</b>
16. Canada Goose	<b>18.43%</b>
17. Red-tailed Hawk	<b>18.31%</b>
18. Red-winged Blackbird	<b>17.87%</b>

19. Mountain Chickadee	<b>17.75%</b>
20. Blue Jay	<b>17.67%</b>
21. Great Blue Heron	<b>16.74%</b>
22. White-breasted Nuthatch	<b>16.19%</b>
23. Chipping Sparrow	<b>15.87%</b>
24. Yellow Warbler	<b>15.28%</b>
25. Killdeer	<b>14.75%</b>
26. Common Raven	<b>13.88%</b>
27. European Starling	<b>13.86%</b>
28. Downy Woodpecker	<b>13.76%</b>
29. House Sparrow	<b>13.74%</b>
30. Western Kingbird	<b>13.71%</b>
31. Double-crested Cormorant	<b>13.51%</b>
32. Turkey Vulture	<b>12.91%</b>
33. Steller's Jay	<b>12.45%</b>
34. Spotted Towhee	<b>11.91%</b>
35. Rufous Hummingbird	<b>10.93%</b>
36. Red-breasted Nuthatch	<b>10.76%</b>
37. Ring-billed Gull	<b>10.52%</b>
38. Violet-green Swallow	<b>10.50%</b>
39. Rock Pigeon	<b>10.40%</b>
40. Say's Phoebe	<b>10.11%</b>
41. American Kestrel	<b>9.86%</b>

42. Pine Siskin	9.65%
43. Lark Sparrow	9.62%
44. Dark-eyed Junco	9.49%
45. American White Pelican	9.36%
46. Song Sparrow	9.29%
47. Common Grackle	9.28%
48. Western Meadowlark	9.23%
49. Swainson's Hawk	9.08%
50. Belted Kingfisher	9.03%
51. Spotted Sandpiper	8.83%
52. Yellow-rumped Warbler	8.19%
53. Pygmy Nuthatch	8.09%
54. Woodhouse's Scrub-Jay	7.99%
55. Snowy Egret	7.87%
56. Wilson's Warbler	7.33%
57. Cliff Swallow	7.09%
58. Western Tanager	6.98%
59. Black-chinned Hummingbird	6.92%
60. Hairy Woodpecker	6.84%
61. Osprey	6.81%
62. Eastern Kingbird	6.75%
63. Cedar Waxwing	6.54%
64. Gray Catbird	6.22%

65. <b>Black-headed Grosbeak</b>	<b>6.04%</b>
66. <b>Mountain Bluebird</b>	<b>5.73%</b>
67. <b>Blue Grosbeak</b>	<b>5.57%</b>
68. <b>Vesper Sparrow</b>	<b>5.42%</b>
69. <b>American Coot</b>	<b>5.08%</b>
70. <b>Clark's Nutcracker</b>	<b>4.97%</b>
71. <b>Cooper's Hawk</b>	<b>4.90%</b>
72. <b>Brewer's Blackbird</b>	<b>4.74%</b>
73. <b>Pied-billed Grebe</b>	<b>4.69%</b>
74. <b>Tree Swallow</b>	<b>4.56%</b>
75. <b>Warbling Vireo</b>	<b>4.49%</b>
76. <b>Bullock's Oriole</b>	<b>4.28%</b>
77. <b>Baird's Sandpiper</b>	<b>4.27%</b>
78. <b>California Gull</b>	<b>4.21%</b>
79. <b>Brewer's Sparrow</b>	<b>4.14%</b>
80. <b>Green-tailed Towhee</b>	<b>4.14%</b>
81. <b>Western Flycatcher</b>	<b>4.13%</b>
82. <b>Red Crossbill</b>	<b>4.02%</b>
83. <b>Bushtit</b>	<b>3.97%</b>
84. <b>Common Nighthawk</b>	<b>3.96%</b>
85. <b>Horned Lark</b>	<b>3.95%</b>
86. <b>Lark Bunting</b>	<b>3.94%</b>
87. <b>Blue-gray Gnatcatcher</b>	<b>3.93%</b>

88. <b>Western Grebe</b>	<b>3.89%</b>
89. <b>White-crowned Sparrow</b>	<b>3.84%</b>
90. <b>Lazuli Bunting</b>	<b>3.84%</b>
91. <b>Calliope Hummingbird</b>	<b>3.62%</b>
92. <b>Blue-winged Teal</b>	<b>3.46%</b>
93. <b>Loggerhead Shrike</b>	<b>3.36%</b>
94. <b>Common Yellowthroat</b>	<b>3.34%</b>
95. <b>Solitary Sandpiper</b>	<b>3.30%</b>
96. <b>Bald Eagle</b>	<b>3.23%</b>
97. <b>Lesser Yellowlegs</b>	<b>3.23%</b>
98. <b>Western Bluebird</b>	<b>3.22%</b>
99. <b>Ruby-crowned Kinglet</b>	<b>3.20%</b>
100. <b>Least Sandpiper</b>	<b>3.13%</b>
101. <b>Yellow-headed Blackbird</b>	<b>3.08%</b>
102. <b>Black-crowned Night Heron</b>	<b>3.01%</b>
103. <b>MacGillivray's Warbler</b>	<b>3.00%</b>
104. <b>Lincoln's Sparrow</b>	<b>2.92%</b>
105. <b>Wood Duck</b>	<b>2.89%</b>
106. <b>Northern Rough-winged Swallow</b>	<b>2.88%</b>
107. <b>American Avocet</b>	<b>2.84%</b>
108. <b>Great Horned Owl</b>	<b>2.84%</b>
109. <b>Green-winged Teal</b>	<b>2.80%</b>
110. <b>Wilson's Phalarope</b>	<b>2.73%</b>

111. <b>Brown-headed Cowbird</b>	<b>2.72%</b>
112. <b>Sage Thrasher</b>	<b>2.70%</b>
113. <b>Canada Jay</b>	<b>2.62%</b>
114. <b>Evening Grosbeak</b>	<b>2.53%</b>
115. <b>Greater Yellowlegs</b>	<b>2.45%</b>
116. <b>Orange-crowned Warbler</b>	<b>2.41%</b>
117. <b>Gadwall</b>	<b>2.41%</b>
118. <b>Franklin's Gull</b>	<b>2.38%</b>
119. <b>Northern Shoveler</b>	<b>2.31%</b>
120. <b>Brown Creeper</b>	<b>2.31%</b>
121. <b>Wild Turkey</b>	<b>2.27%</b>
122. <b>Plumbeous Vireo</b>	<b>2.23%</b>
123. <b>Common Merganser</b>	<b>2.19%</b>
124. <b>Rock Wren</b>	<b>2.13%</b>
125. <b>Cinnamon Teal</b>	<b>2.12%</b>
126. <b>Great Egret</b>	<b>2.10%</b>
127. <b>Olive-sided Flycatcher</b>	<b>2.06%</b>
128. <b>Red-naped Sapsucker</b>	<b>2.01%</b>
129. <b>Townsend's Solitaire</b>	<b>1.97%</b>
130. <b>Virginia's Warbler</b>	<b>1.93%</b>
131. <b>Ruddy Duck</b>	<b>1.88%</b>
132. <b>Bank Swallow</b>	<b>1.87%</b>
133. <b>White-faced Ibis</b>	<b>1.84%</b>

134. <b>Yellow-breasted Chat</b>	<b>1.81%</b>
135. <b>Northern Harrier</b>	<b>1.80%</b>
136. <b>Cassin's Finch</b>	<b>1.78%</b>
137. <b>Wilson's Snipe</b>	<b>1.71%</b>
138. <b>Canyon Wren</b>	<b>1.71%</b>
139. <b>Sora</b>	<b>1.70%</b>
140. <b>White-throated Swift</b>	<b>1.67%</b>
141. <b>American Pipit</b>	<b>1.66%</b>
142. <b>Golden Eagle</b>	<b>1.66%</b>
143. <b>Savannah Sparrow</b>	<b>1.65%</b>
144. <b>Townsend's Warbler</b>	<b>1.58%</b>
145. <b>Dusky Flycatcher</b>	<b>1.53%</b>
146. <b>Semipalmated Sandpiper</b>	<b>1.48%</b>
147. <b>Eared Grebe</b>	<b>1.41%</b>
148. <b>Western Sandpiper</b>	<b>1.36%</b>
149. <b>Williamson's Sapsucker</b>	<b>1.36%</b>
150. <b>Lewis's Woodpecker</b>	<b>1.35%</b>
151. <b>Redhead</b>	<b>1.34%</b>
152. <b>Northern Mockingbird</b>	<b>1.33%</b>
153. <b>Forster's Tern</b>	<b>1.25%</b>
154. <b>Black Tern</b>	<b>1.21%</b>
155. <b>Pine Grosbeak</b>	<b>1.20%</b>
156. <b>Peregrine Falcon</b>	<b>1.18%</b>

157. Red-headed Woodpecker	1.17%
158. Prairie Falcon	1.16%
159. Stilt Sandpiper	1.14%
160. American Wigeon	1.11%
161. Hermit Thrush	1.10%
162. American Dipper	1.09%
163. Great-tailed Grackle	1.08%
164. Long-billed Dowitcher	1.04%
165. Marsh Wren	1.04%
166. American Three-toed Woodpecker	1.01%
167. Willow Flycatcher	1.01%
168. Chimney Swift	0.9978%
169. Virginia Rail	0.9782%
170. Pinyon Jay	0.9782%
171. Clay-colored Sparrow	0.9764%
172. Brown Thrasher	0.9693%
173. Golden-crowned Kinglet	0.9319%
174. Mississippi Kite	0.8669%
175. Burrowing Owl	0.8660%
176. Northern Pintail	0.8580%
177. Clark's Grebe	0.8482%
178. Band-tailed Pigeon	0.8135%
179. Sharp-shinned Hawk	0.7850%



180. Dusky Grouse	0.7592%
181. Grasshopper Sparrow	0.7566%
182. White-winged Dove	0.7307%
183. Black-necked Stilt	0.6845%
184. Pectoral Sandpiper	0.6827%
185. Ring-necked Duck	0.6702%
186. Semipalmated Plover	0.6675%
187. Hammond's Flycatcher	0.6604%
188. Black-throated Gray Warbler	0.6346%
189. Black Phoebe	0.6043%
190. Orchard Oriole	0.5990%
191. Marbled Godwit	0.5385%
192. Willet	0.5064%
193. Juniper Titmouse	0.5047%
194. Northern Waterthrush	0.4771%
195. American Redstart	0.4735%
196. Common Poorwill	0.4699%
197. Cassin's Kingbird	0.4664%
198. Brown-capped Rosy-Finch	0.4655%
199. Hooded Merganser	0.4521%
200. Canyon Towhee	0.4504%
201. Sandhill Crane	0.4477%
202. Least Flycatcher	0.4450%

203. <b>Bewick's Wren</b>	<b>0.4219%</b>
204. <b>Upland Sandpiper</b>	<b>0.4112%</b>
205. <b>Cassin's Vireo</b>	<b>0.3952%</b>
206. <b>Black Swift</b>	<b>0.3792%</b>
207. <b>Sanderling</b>	<b>0.3694%</b>
208. <b>Ferruginous Hawk</b>	<b>0.3658%</b>
209. <b>Gray Flycatcher</b>	<b>0.3587%</b>
210. <b>Ash-throated Flycatcher</b>	<b>0.3507%</b>
211. <b>Scaled Quail</b>	<b>0.3427%</b>
212. <b>Fox Sparrow</b>	<b>0.3373%</b>
213. <b>Long-billed Curlew</b>	<b>0.3364%</b>
214. <b>Red-necked Phalarope</b>	<b>0.3356%</b>
215. <b>White-tailed Ptarmigan</b>	<b>0.3329%</b>
216. <b>Lesser Scaup</b>	<b>0.3293%</b>
217. <b>Curve-billed Thrasher</b>	<b>0.3275%</b>
218. <b>Eastern Phoebe</b>	<b>0.3258%</b>
219. <b>Green Heron</b>	<b>0.3178%</b>
220. <b>Dickcissel</b>	<b>0.3097%</b>
221. <b>Red-eyed Vireo</b>	<b>0.2955%</b>
222. <b>American Goshawk</b>	<b>0.2946%</b>
223. <b>Gambel's Quail</b>	<b>0.2795%</b>
224. <b>Cassin's Sparrow</b>	<b>0.2795%</b>
225. <b>Barn Owl</b>	<b>0.2786%</b>

226. <b>Thick-billed Longspur</b>	<b>0.2786%</b>
227. <b>Indigo Bunting</b>	<b>0.2777%</b>
228. <b>Western Cattle Egret</b>	<b>0.2724%</b>
229. <b>Swainson's Thrush</b>	<b>0.2608%</b>
230. <b>Caspian Tern</b>	<b>0.2581%</b>
231. <b>Black-bellied Plover</b>	<b>0.2501%</b>
232. <b>Ladder-backed Woodpecker</b>	<b>0.2439%</b>
233. <b>Purple Martin</b>	<b>0.2181%</b>
234. <b>Nashville Warbler</b>	<b>0.1994%</b>
235. <b>Baltimore Oriole</b>	<b>0.1967%</b>
236. <b>Great Crested Flycatcher</b>	<b>0.1931%</b>
237. <b>Snowy Plover</b>	<b>0.1833%</b>
238. <b>Canvasback</b>	<b>0.1807%</b>
239. <b>Yellow-billed Cuckoo</b>	<b>0.1807%</b>
240. <b>American Bittern</b>	<b>0.1700%</b>
241. <b>Chihuahuan Raven</b>	<b>0.1682%</b>
242. <b>Chestnut-collared Longspur</b>	<b>0.1620%</b>
243. <b>Barrow's Goldeneye</b>	<b>0.1442%</b>
244. <b>Greater Roadrunner</b>	<b>0.1415%</b>
245. <b>Northern Pygmy-Owl</b>	<b>0.1353%</b>
246. <b>Eastern Screech-Owl</b>	<b>0.1282%</b>
247. <b>Bufflehead</b>	<b>0.1219%</b>
248. <b>Gray Vireo</b>	<b>0.1202%</b>

249. <b>Grace's Warbler</b>	<b>0.1202%</b>
250. <b>Black-throated Sparrow</b>	<b>0.1184%</b>
251. <b>Mountain Plover</b>	<b>0.1113%</b>
252. <b>Common Loon</b>	<b>0.1086%</b>
253. <b>Northern Cardinal</b>	<b>0.1086%</b>
254. <b>Common Goldeneye</b>	<b>0.1041%</b>
255. <b>Black-and-white Warbler</b>	<b>0.1032%</b>
256. <b>Buff-breasted Sandpiper</b>	<b>0.0997%</b>
257. <b>Bell's Vireo</b>	<b>0.0997%</b>
258. <b>Eastern Bluebird</b>	<b>0.0970%</b>
259. <b>Cackling Goose</b>	<b>0.0944%</b>
260. <b>Long-tailed Jaeger</b>	<b>0.0944%</b>
261. <b>Ovenbird</b>	<b>0.0944%</b>
262. <b>Lesser Black-backed Gull</b>	<b>0.0935%</b>
263. <b>Short-billed Dowitcher</b>	<b>0.0917%</b>
264. <b>Northern Bobwhite</b>	<b>0.0890%</b>
265. <b>Common Tern</b>	<b>0.0890%</b>
266. <b>Red-bellied Woodpecker</b>	<b>0.0792%</b>
267. <b>Baird's Sparrow</b>	<b>0.0765%</b>
268. <b>Sagebrush Sparrow</b>	<b>0.0685%</b>
269. <b>Gunnison Sage-Grouse</b>	<b>0.0659%</b>
270. <b>Neotropic Cormorant</b>	<b>0.0641%</b>
271. <b>Greater Sage-Grouse</b>	<b>0.0623%</b>

272. Merlin	0.0561%
273. Piping Plover	0.0552%
274. Herring Gull	0.0552%
275. Rufous-crowned Sparrow	0.0552%
276. Yellow-crowned Night Heron	0.0543%
277. Northern Saw-whet Owl	0.0525%
278. Field Sparrow	0.0445%
279. Summer Tanager	0.0418%
280. Snow Goose	0.0400%
281. Flammulated Owl	0.0383%
282. Bobolink	0.0365%
283. Chukar	0.0347%
284. Long-eared Owl	0.0347%
285. Western Screech-Owl	0.0320%
286. Acorn Woodpecker	0.0320%
287. Black Rail	0.0312%
288. Painted Bunting	0.0312%
289. Greater White-fronted Goose	0.0303%
290. Veery	0.0303%
291. Rose-breasted Grosbeak	0.0303%
292. Broad-winged Hawk	0.0285%
293. Chestnut-sided Warbler	0.0285%
294. Mexican Duck	0.0276%

295. <b>Red Knot</b>	<b>0.0267%</b>
296. <b>Least Bittern</b>	<b>0.0267%</b>
297. <b>Tennessee Warbler</b>	<b>0.0249%</b>
298. <b>Least Tern</b>	<b>0.0240%</b>
299. <b>Little Blue Heron</b>	<b>0.0240%</b>
300. <b>Scissor-tailed Flycatcher</b>	<b>0.0240%</b>
301. <b>Sabine's Gull</b>	<b>0.0223%</b>
302. <b>Short-billed Gull</b>	<b>0.0223%</b>
303. <b>Red-breasted Merganser</b>	<b>0.0214%</b>
304. <b>Northern Parula</b>	<b>0.0205%</b>
305. <b>Carolina Wren</b>	<b>0.0196%</b>
306. <b>Chihuahuan Meadowlark</b>	<b>0.0196%</b>
307. <b>Surf Scoter</b>	<b>0.0187%</b>
308. <b>Bonaparte's Gull</b>	<b>0.0187%</b>
309. <b>Horned Grebe</b>	<b>0.0178%</b>
310. <b>Western Gull</b>	<b>0.0169%</b>
311. <b>Ruddy Turnstone</b>	<b>0.0160%</b>
312. <b>Little Gull</b>	<b>0.0160%</b>
313. <b>Alder Flycatcher</b>	<b>0.0160%</b>
314. <b>White-winged Crossbill</b>	<b>0.0160%</b>
315. <b>Greater Prairie-Chicken</b>	<b>0.0151%</b>
316. <b>Mexican Whip-poor-will</b>	<b>0.0142%</b>
317. <b>Boreal Owl</b>	<b>0.0142%</b>

318. <b>Cassia Crossbill</b>	<b>0.0142%</b>
319. <b>Trumpeter Swan</b>	<b>0.0133%</b>
320. <b>Laughing Gull</b>	<b>0.0133%</b>
321. <b>Eastern Wood-Pewee</b>	<b>0.0125%</b>
322. <b>Sharp-tailed Grouse</b>	<b>0.0116%</b>
323. <b>Ruby-throated Hummingbird</b>	<b>0.0116%</b>
324. <b>Short-eared Owl</b>	<b>0.0116%</b>
325. <b>Pacific Loon</b>	<b>0.0107%</b>
326. <b>Zone-tailed Hawk</b>	<b>0.0107%</b>
327. <b>Curlew Sandpiper</b>	<b>0.0098%</b>
328. <b>Swallow-tailed Kite</b>	<b>0.0098%</b>
329. <b>Philadelphia Vireo</b>	<b>0.0098%</b>
330. <b>Canada Warbler</b>	<b>0.0089%</b>
331. <b>Vermilion Flycatcher</b>	<b>0.0080%</b>
332. <b>Eastern Towhee</b>	<b>0.0080%</b>
333. <b>Red Phalarope</b>	<b>0.0071%</b>
334. <b>Tricolored Heron</b>	<b>0.0071%</b>
335. <b>Mourning Warbler</b>	<b>0.0071%</b>
336. <b>Pine Warbler</b>	<b>0.0071%</b>
337. <b>Rivoli's Hummingbird</b>	<b>0.0062%</b>
338. <b>Dunlin</b>	<b>0.0062%</b>
339. <b>Crested Caracara</b>	<b>0.0062%</b>
340. <b>White-eyed Vireo</b>	<b>0.0062%</b>

341. Hooded Warbler	0.0062%
342. Palm Warbler	0.0053%
343. Lesser Nighthawk	0.0044%
344. Yellow-bellied Flycatcher	0.0044%
345. Prairie Warbler	0.0044%
346. Black-throated Green Warbler	0.0044%
347. Scarlet Tanager	0.0044%
348. Mottled Duck	0.0036%
349. Purple Gallinule	0.0036%
350. Whimbrel	0.0036%
351. White Ibis	0.0036%
352. Glossy Ibis	0.0036%
353. Red-shouldered Hawk	0.0036%
354. Winter Wren	0.0036%
355. Sprague's Pipit	0.0036%
356. Golden-winged Warbler	0.0036%
357. Blackburnian Warbler	0.0036%
358. Hermit Warbler	0.0036%
359. Tundra Swan	0.0027%
360. Long-tailed Duck	0.0027%
361. Red-necked Grebe	0.0027%
362. Yellow Rail	0.0027%
363. Great Black-backed Gull	0.0027%



364. <b>Brown Pelican</b>	<b>0.0027%</b>
365. <b>Black Vulture</b>	<b>0.0027%</b>
366. <b>Cave Swallow</b>	<b>0.0027%</b>
367. <b>Prothonotary Warbler</b>	<b>0.0027%</b>
368. <b>Magnolia Warbler</b>	<b>0.0027%</b>
369. <b>Blackpoll Warbler</b>	<b>0.0027%</b>
370. <b>Hepatic Tanager</b>	<b>0.0027%</b>
371. <b>Pyrrhuloxia</b>	<b>0.0027%</b>
372. <b>Yellow-throated Vireo</b>	<b>0.0018%</b>
373. <b>Swamp Sparrow</b>	<b>0.0018%</b>
374. <b>Scott's Oriole</b>	<b>0.0018%</b>
375. <b>Blue-winged Warbler</b>	<b>0.0018%</b>
376. <b>Black-throated Blue Warbler</b>	<b>0.0018%</b>
377. <b>Lesser Prairie-Chicken</b>	<b>0.0009%</b>
378. <b>Black-billed Cuckoo</b>	<b>0.0009%</b>
379. <b>American Golden-Plover</b>	<b>0.0009%</b>
380. <b>Glaucous-winged Gull</b>	<b>0.0009%</b>
381. <b>Arctic Tern</b>	<b>0.0009%</b>
382. <b>Reddish Egret</b>	<b>0.0009%</b>
383. <b>Blue-headed Vireo</b>	<b>0.0009%</b>
384. <b>Pacific Wren</b>	<b>0.0009%</b>
385. <b>Bohemian Waxwing</b>	<b>0.0009%</b>
386. <b>White-throated Sparrow</b>	<b>0.0009%</b>

387. Eastern Meadowlark	0.0009%
388. Worm-eating Warbler	0.0009%
389. Lucy's Warbler	0.0009%
390. Connecticut Warbler	0.0009%
391. Yellow-throated Warbler	0.0009%
392. Ross's Goose	0.0000%
393. American Black Duck	0.0000%
394. Greater Scaup	0.0000%
395. Blue-throated Mountain-gem	0.0000%
396. Anna's Hummingbird	0.0000%
397. Costa's Hummingbird	0.0000%
398. Parasitic Jaeger	0.0000%
399. Black-legged Kittiwake	0.0000%
400. Royal Tern	0.0000%
401. Red-throated Loon	0.0000%
402. Variable Hawk	0.0000%
403. Bendire's Thrasher	0.0000%
404. LeConte's Sparrow	0.0000%
405. Henslow's Sparrow	0.0000%
406. Rusty Blackbird	0.0000%
407. Kentucky Warbler	0.0000%
408. Yellow Grosbeak	0.0000%

**EXOTIC: PROVISIONAL**

409. Ring-necked Pheasant	0.3115% frequency
410. Rufous-collared Sparrow	0.0027%
<b>EXOTIC: ESCAPEE</b>	
Graylag Goose	0.0427% frequency
Mute Swan	0.0205%
African Collared-Dove	0.0196%
Swan Goose	0.0125%
Muscovy Duck	0.0089%
Indian Peafowl	0.0027%
Red Junglefowl	0.0027%
Budgerigar	0.0027%
Bar-headed Goose	0.0018%
Black Swan	0.0009%
Golden Pheasant	0.0009%
Monk Parakeet	0.0009%
Helmeted Guineafowl	0.0000%
Cockatiel	0.0000%
<b>HYBRIDS</b>	
Graylag x Swan Goose (hybrid)	0.0392% frequency
Lazuli x Indigo Bunting (hybrid)	0.0392%
Steller's Jay x Woodhouse's Scrub-Jay (hybrid)	0.0240%
Western x Clark's Grebe (hybrid)	0.0231%

Graylag x Canada Goose (hybrid)	<b>0.0223%</b>
Bullock's x Baltimore Oriole (hybrid)	<b>0.0160%</b>
Black-capped x Mountain Chickadee (hybrid)	<b>0.0125%</b>
Black x Eastern Phoebe (hybrid)	<b>0.0116%</b>
Spotted x Eastern Towhee (hybrid)	<b>0.0089%</b>
Mallard x Mexican Duck (hybrid)	<b>0.0080%</b>
Domestic goose sp. x Canada Goose (hybrid)	<b>0.0053%</b>
Muscovy Duck x Mallard (hybrid)	<b>0.0027%</b>
Glossy x White-faced Ibis (hybrid)	<b>0.0027%</b>
Mallard x Northern Pintail (hybrid)	<b>0.0018%</b>
Ruby-throated x Black-chinned Hummingbird (hybrid)	<b>0.0009%</b>
Rufous x Broad-tailed Hummingbird (hybrid)	<b>0.0009%</b>
Herring x California Gull (hybrid)	<b>0.0009%</b>
Double-crested x Neotropic Cormorant (hybrid)	<b>0.0009%</b>
Barn x Cliff Swallow (hybrid)	<b>0.0009%</b>
Western x Eastern Meadowlark (hybrid)	<b>0.0009%</b>
Golden-winged x Blue-winged Warbler (hybrid)	<b>0.0009%</b>
Rose-breasted x Black-headed Grosbeak (hybrid)	<b>0.0009%</b>