



Target Species

Based on 140,778 complete checklists

407 species observed in Colorado, US (region/US-CO) in Jul that you need for your **Colorado Life List**

1. American Robin	47.38% frequency
2. Broad-tailed Hummingbird	36.14%
3. Mourning Dove	32.89%
4. House Finch	32.66%
5. Northern Flicker	30.92%
6. Red-winged Blackbird	27.44%
7. House Wren	26.71%
8. Black-capped Chickadee	24.01%
9. Violet-green Swallow	22.96%
10. American Crow	21.79%
11. Barn Swallow	21.41%
12. Black-billed Magpie	20.60%
13. American Goldfinch	18.60%
14. Mallard	18.30%
15. Eurasian Collared-Dove	17.89%
16. Mountain Chickadee	17.79%
17. Spotted Towhee	17.41%
18. Lesser Goldfinch	16.71%

19. Song Sparrow	16.55%
20. Western Wood-Pewee	16.30%
21. Yellow Warbler	16.15%
22. Western Kingbird	16.09%
23. Canada Goose	15.97%
24. Red-tailed Hawk	15.83%
25. Cliff Swallow	15.34%
26. House Sparrow	15.01%
27. Common Raven	14.73%
28. Common Grackle	14.72%
29. Blue Jay	14.25%
30. Western Meadowlark	14.06%
31. White-breasted Nuthatch	13.91%
32. Western Flycatcher	13.44%
33. Dark-eyed Junco	13.25%
34. Pine Siskin	12.84%
35. Tree Swallow	12.83%
36. Turkey Vulture	12.73%
37. European Starling	12.54%
38. Great Blue Heron	12.10%
39. Chipping Sparrow	11.91%
40. Double-crested Cormorant	11.59%
41. Killdeer	11.04%

42. Bullock's Oriole	11.00%
43. Brown-headed Cowbird	10.82%
44. Steller's Jay	10.56%
45. Warbling Vireo	10.45%
46. Downy Woodpecker	10.03%
47. Western Tanager	9.95%
48. Say's Phoebe	9.71%
49. Yellow-rumped Warbler	9.21%
50. Black-headed Grosbeak	8.93%
51. Rufous Hummingbird	8.63%
52. Rock Pigeon	8.27%
53. Pygmy Nuthatch	8.01%
54. White-crowned Sparrow	7.96%
55. American Kestrel	7.88%
56. Mountain Bluebird	7.81%
57. American White Pelican	7.71%
58. Ruby-crowned Kinglet	7.31%
59. Hairy Woodpecker	7.14%
60. Lincoln's Sparrow	6.98%
61. Red-breasted Nuthatch	6.97%
62. Spotted Sandpiper	6.71%
63. Green-tailed Towhee	6.63%
64. Swainson's Hawk	6.58%

65. Common Yellowthroat	6.49%
66. Black-chinned Hummingbird	6.46%
67. Lark Sparrow	6.32%
68. Lazuli Bunting	6.21%
69. Hermit Thrush	6.08%
70. Brewer's Blackbird	6.07%
71. Gray Catbird	6.02%
72. Woodhouse's Scrub-Jay	5.89%
73. Eastern Kingbird	5.88%
74. Vesper Sparrow	5.61%
75. Cedar Waxwing	5.59%
76. Osprey	5.39%
77. Horned Lark	5.35%
78. Yellow-breasted Chat	5.26%
79. Snowy Egret	5.14%
80. Belted Kingfisher	4.88%
81. Northern Rough-winged Swallow	4.70%
82. Blue Grosbeak	4.60%
83. Red-naped Sapsucker	4.20%
84. Red Crossbill	4.18%
85. Clark's Nutcracker	3.85%
86. Common Nighthawk	3.82%
87. Bushtit	3.71%

88. Ring-billed Gull	3.55%
89. Blue-gray Gnatcatcher	3.44%
90. Western Bluebird	3.43%
91. Plumbeous Vireo	3.32%
92. Cooper's Hawk	3.29%
93. MacGillivray's Warbler	3.25%
94. Yellow-headed Blackbird	3.23%
95. American Coot	3.11%
96. White-throated Swift	2.99%
97. Cassin's Finch	2.93%
98. Black-crowned Night Heron	2.80%
99. Townsend's Solitaire	2.79%
100. American Avocet	2.76%
101. Lark Bunting	2.69%
102. Rock Wren	2.60%
103. Pied-billed Grebe	2.59%
104. Western Grebe	2.54%
105. California Gull	2.48%
106. Wilson's Warbler	2.46%
107. Dusky Flycatcher	2.39%
108. Calliope Hummingbird	2.37%
109. Canada Jay	2.26%
110. Savannah Sparrow	2.20%

111. Bald Eagle	2.11%
112. American Pipit	2.06%
113. Gadwall	2.06%
114. Northern Mockingbird	2.05%
115. Brewer's Sparrow	1.98%
116. Brown Creeper	1.94%
117. Wild Turkey	1.90%
118. Grasshopper Sparrow	1.89%
119. Williamson's Sapsucker	1.85%
120. Common Merganser	1.84%
121. Virginia's Warbler	1.84%
122. American Dipper	1.80%
123. Sage Thrasher	1.78%
124. Olive-sided Flycatcher	1.76%
125. Pine Grosbeak	1.72%
126. Great-tailed Grackle	1.70%
127. Ruddy Duck	1.67%
128. Great Horned Owl	1.67%
129. Wood Duck	1.67%
130. Bank Swallow	1.63%
131. Cinnamon Teal	1.58%
132. Canyon Wren	1.50%
133. American Three-toed Woodpecker	1.47%

134. Blue-winged Teal	1.45%
135. Golden Eagle	1.44%
136. Evening Grosbeak	1.44%
137. Swainson's Thrush	1.38%
138. Dickcissel	1.37%
139. Wilson's Snipe	1.37%
140. Ash-throated Flycatcher	1.36%
141. Lewis's Woodpecker	1.34%
142. Sora	1.27%
143. Loggerhead Shrike	1.27%
144. Golden-crowned Kinglet	1.21%
145. Fox Sparrow	1.21%
146. Hammond's Flycatcher	1.20%
147. Marsh Wren	1.16%
148. Wilson's Phalarope	1.13%
149. Redhead	1.12%
150. Burrowing Owl	1.11%
151. Orchard Oriole	1.11%
152. Eared Grebe	1.10%
153. Band-tailed Pigeon	1.07%
154. Baird's Sandpiper	0.9916%
155. Orange-crowned Warbler	0.9845%
156. Prairie Falcon	0.9760%

157. Northern Harrier	0.9448%
158. Great Egret	0.9284%
159. Ring-necked Duck	0.8403%
160. Brown Thrasher	0.8261%
161. White-faced Ibis	0.8034%
162. Virginia Rail	0.7998%
163. Peregrine Falcon	0.7842%
164. Brown-capped Rosy-Finch	0.7629%
165. Red-headed Woodpecker	0.7594%
166. White-winged Dove	0.7487%
167. Franklin's Gull	0.7480%
168. Greater Yellowlegs	0.7459%
169. Dusky Grouse	0.7409%
170. Green-winged Teal	0.7174%
171. Chimney Swift	0.7139%
172. American Wigeon	0.6997%
173. Least Sandpiper	0.6968%
174. Mississippi Kite	0.6876%
175. Pinyon Jay	0.6869%
176. Cassin's Sparrow	0.6706%
177. Cassin's Kingbird	0.6592%
178. Lesser Yellowlegs	0.6478%
179. White-tailed Ptarmigan	0.6116%

180. Clark's Grebe	0.6017%
181. Northern Shoveler	0.5938%
182. Solitary Sandpiper	0.5917%
183. Juniper Titmouse	0.5739%
184. Indigo Bunting	0.5583%
185. Lesser Scaup	0.5399%
186. Black-necked Stilt	0.5292%
187. Black-throated Gray Warbler	0.5121%
188. Bewick's Wren	0.5058%
189. Common Poorwill	0.5001%
190. Willet	0.4979%
191. Black Swift	0.4816%
192. Willow Flycatcher	0.4603%
193. Black Phoebe	0.4546%
194. Thick-billed Longspur	0.4447%
195. Forster's Tern	0.4148%
196. Gambel's Quail	0.4063%
197. Sharp-shinned Hawk	0.3971%
198. Long-billed Dowitcher	0.3914%
199. Western Sandpiper	0.3644%
200. Sandhill Crane	0.3374%
201. Canyon Towhee	0.3374%
202. American Goshawk	0.3360%

203. Semipalmated Sandpiper	0.3317%
204. Scaled Quail	0.3261%
205. Gray Flycatcher	0.3154%
206. Green Heron	0.3083%
207. Eastern Phoebe	0.3005%
208. Curve-billed Thrasher	0.2976%
209. Hooded Merganser	0.2934%
210. Black Tern	0.2849%
211. Red-eyed Vireo	0.2834%
212. Ovenbird	0.2834%
213. Least Flycatcher	0.2685%
214. Northern Pintail	0.2678%
215. Stilt Sandpiper	0.2628%
216. Ferruginous Hawk	0.2586%
217. Black-throated Sparrow	0.2557%
218. Purple Martin	0.2508%
219. Mountain Plover	0.2493%
220. Marbled Godwit	0.2429%
221. Western Cattle Egret	0.2422%
222. Chestnut-collared Longspur	0.2316%
223. Yellow-billed Cuckoo	0.2294%
224. Gray Vireo	0.2259%
225. Bobolink	0.2138%

226. Barn Owl	0.2017%
227. Canvasback	0.1982%
228. Snowy Plover	0.1982%
229. Long-billed Curlew	0.1698%
230. Grace's Warbler	0.1662%
231. Veery	0.1591%
232. Upland Sandpiper	0.1556%
233. Northern Bobwhite	0.1541%
234. American Bittern	0.1527%
235. Barrow's Goldeneye	0.1499%
236. Chihuahuan Raven	0.1371%
237. Northern Pygmy-Owl	0.1243%
238. Baltimore Oriole	0.1236%
239. Flammulated Owl	0.1215%
240. Painted Bunting	0.1186%
241. Ladder-backed Woodpecker	0.1158%
242. American Redstart	0.1137%
243. Bufflehead	0.1030%
244. Baird's Sparrow	0.1023%
245. Common Loon	0.1016%
246. Caspian Tern	0.1009%
247. Bell's Vireo	0.0909%
248. Sagebrush Sparrow	0.0902%

249. Common Goldeneye	0.0881%
250. Eastern Bluebird	0.0860%
251. Semipalmated Plover	0.0845%
252. Northern Cardinal	0.0810%
253. Greater Sage-Grouse	0.0796%
254. Greater Roadrunner	0.0796%
255. Cackling Goose	0.0753%
256. Gunnison Sage-Grouse	0.0753%
257. Limpkin	0.0717%
258. Eastern Screech-Owl	0.0710%
259. Field Sparrow	0.0703%
260. Acorn Woodpecker	0.0668%
261. Yellow Rail	0.0661%
262. White-winged Crossbill	0.0646%
263. Red-bellied Woodpecker	0.0618%
264. Northern Saw-whet Owl	0.0604%
265. Chukar	0.0590%
266. Little Blue Heron	0.0590%
267. Rufous-crowned Sparrow	0.0590%
268. Long-eared Owl	0.0561%
269. Pectoral Sandpiper	0.0533%
270. Great Crested Flycatcher	0.0497%
271. Least Tern	0.0483%

272. Hepatic Tanager	0.0462%
273. Piping Plover	0.0455%
274. White Ibis	0.0448%
275. Summer Tanager	0.0426%
276. Pacific Wren	0.0419%
277. Sanderling	0.0391%
278. Rose-breasted Grosbeak	0.0391%
279. Common Gallinule	0.0341%
280. Scissor-tailed Flycatcher	0.0334%
281. Neotropic Cormorant	0.0305%
282. Cassia Crossbill	0.0298%
283. Hooded Warbler	0.0291%
284. Black Rail	0.0284%
285. Western Screech-Owl	0.0284%
286. Snow Goose	0.0270%
287. Yellow-crowned Night Heron	0.0263%
288. Boreal Owl	0.0256%
289. Red-necked Phalarope	0.0227%
290. Lesser Black-backed Gull	0.0227%
291. Pacific Loon	0.0227%
292. Scott's Oriole	0.0227%
293. Greater White-fronted Goose	0.0213%
294. Mexican Duck	0.0213%

295. Eastern Meadowlark	0.0199%
296. Laughing Gull	0.0192%
297. Western Gull	0.0192%
298. Surf Scoter	0.0185%
299. Bonaparte's Gull	0.0185%
300. White-eyed Vireo	0.0185%
301. Red-necked Grebe	0.0170%
302. Broad-winged Hawk	0.0170%
303. Short-eared Owl	0.0156%
304. Eastern Wood-Pewee	0.0156%
305. Lucy's Warbler	0.0149%
306. Black-bellied Plover	0.0142%
307. Long-tailed Duck	0.0128%
308. Carolina Wren	0.0128%
309. Chihuahuan Meadowlark	0.0128%
310. Black-and-white Warbler	0.0128%
311. Vermilion Flycatcher	0.0114%
312. Northern Waterthrush	0.0114%
313. Northern Parula	0.0114%
314. Royal Tern	0.0099%
315. Tricolored Heron	0.0099%
316. Scarlet Tanager	0.0092%
317. Sharp-tailed Grouse	0.0085%

318. Red Knot	0.0078%
319. Herring Gull	0.0078%
320. Least Bittern	0.0071%
321. Reddish Egret	0.0071%
322. Rivoli's Hummingbird	0.0064%
323. Chestnut-sided Warbler	0.0064%
324. Mexican Whip-poor-will	0.0057%
325. Whimbrel	0.0057%
326. Yellow-billed Loon	0.0057%
327. Clay-colored Sparrow	0.0057%
328. Eastern Towhee	0.0057%
329. Long-tailed Jaeger	0.0050%
330. Glossy Ibis	0.0050%
331. Red-breasted Merganser	0.0043%
332. Short-billed Dowitcher	0.0043%
333. Common Tern	0.0043%
334. Merlin	0.0043%
335. Kentucky Warbler	0.0043%
336. Horned Grebe	0.0036%
337. Lesser Nighthawk	0.0036%
338. Black Vulture	0.0036%
339. Winter Wren	0.0036%
340. Sprague's Pipit	0.0036%

341. Nashville Warbler	0.0036%
342. Yellow-throated Warbler	0.0036%
343. Townsend's Warbler	0.0036%
344. Trumpeter Swan	0.0028%
345. Greater Prairie-Chicken	0.0028%
346. Black-billed Cuckoo	0.0028%
347. Anna's Hummingbird	0.0028%
348. White-rumped Sandpiper	0.0028%
349. Black Skimmer	0.0028%
350. Wood Thrush	0.0028%
351. Prairie Warbler	0.0028%
352. Mottled Duck	0.0021%
353. American Golden-Plover	0.0021%
354. Ruddy Turnstone	0.0021%
355. Iceland Gull	0.0021%
356. Red-throated Loon	0.0021%
357. Harris's Hawk	0.0021%
358. Crested Caracara	0.0021%
359. Golden-winged Warbler	0.0021%
360. Greater Scaup	0.0014%
361. Lesser Prairie-Chicken	0.0014%
362. White-eared Hummingbird	0.0014%
363. Red Phalarope	0.0014%

364. Curlew Sandpiper	0.0014%
365. Dunlin	0.0014%
366. Pomarine Jaeger	0.0014%
367. Great Black-backed Gull	0.0014%
368. Spotted Owl	0.0014%
369. Yellow-throated Vireo	0.0014%
370. Cassin's Vireo	0.0014%
371. Phainopepla	0.0014%
372. Black-chinned Sparrow	0.0014%
373. Hooded Oriole	0.0014%
374. Prothonotary Warbler	0.0014%
375. Magnolia Warbler	0.0014%
376. Pine Warbler	0.0014%
377. California Quail	0.0007%
378. Ruffed Grouse	0.0007%
379. Blue-throated Mountain-gem	0.0007%
380. Ruby-throated Hummingbird	0.0007%
381. Costa's Hummingbird	0.0007%
382. Brown Pelican	0.0007%
383. Red-shouldered Hawk	0.0007%
384. Zone-tailed Hawk	0.0007%
385. Alder Flycatcher	0.0007%
386. Cave Swallow	0.0007%

387. White-throated Sparrow	0.0007%
388. Black-throated Blue Warbler	0.0007%
389. Black-throated Green Warbler	0.0007%
390. Inca Dove	0.0000%
391. Groove-billed Ani	0.0000%
392. Mexican Violetear	0.0000%
393. King Rail	0.0000%
394. Buff-breasted Sandpiper	0.0000%
395. Little Gull	0.0000%
396. Glaucous-winged Gull	0.0000%
397. Swallow-tailed Kite	0.0000%
398. Common Black Hawk	0.0000%
399. Sedge Wren	0.0000%
400. Bendire's Thrasher	0.0000%
401. Lawrence's Goldfinch	0.0000%
402. Swainson's Warbler	0.0000%
403. Cape May Warbler	0.0000%
404. Tropical Parula	0.0000%
EXOTIC: PROVISIONAL	
405. Ring-necked Pheasant	0.3275% frequency
406. Rufous-collared Sparrow	0.0007%
407. Variable Hawk	0.0000%

EXOTIC: ESCAPEE

Graylag Goose	0.0412% frequency
African Collared-Dove	0.0341%
Mute Swan	0.0163%
Swan Goose	0.0078%
Indian Peafowl	0.0050%
Muscovy Duck	0.0036%
Red Junglefowl	0.0014%
Budgerigar	0.0014%
Helmeted Guineafowl	0.0007%
Gray Partridge	0.0007%
Monk Parakeet	0.0007%
Common Shelduck	0.0000%
Cockatiel	0.0000%

HYBRIDS

Lazuli x Indigo Bunting (hybrid)	0.0987% frequency
Graylag x Swan Goose (hybrid)	0.0412%
Bullock's x Baltimore Oriole (hybrid)	0.0298%
Black x Eastern Phoebe (hybrid)	0.0242%
Western x Clark's Grebe (hybrid)	0.0192%
Graylag x Canada Goose (hybrid)	0.0156%
Spotted x Eastern Towhee (hybrid)	0.0078%
Greater White-fronted x Canada Goose (hybrid)	0.0057%

Domestic goose sp. x Canada Goose (hybrid)	0.0057%
Mallard x Mexican Duck (hybrid)	0.0057%
Glossy x White-faced Ibis (hybrid)	0.0043%
Steller's Jay x Woodhouse's Scrub-Jay (hybrid)	0.0036%
Rose-breasted x Black-headed Grosbeak (hybrid)	0.0021%
Black-capped x Mountain Chickadee (hybrid)	0.0014%
Blue-winged x Cinnamon Teal (hybrid)	0.0007%
Blue-winged Teal x Northern Shoveler (hybrid)	0.0007%
Ring-necked Duck x Lesser Scaup (hybrid)	0.0007%
Western x Eastern Wood-Pewee (hybrid)	0.0007%
Barn x Cliff Swallow (hybrid)	0.0007%
Canyon x Spotted Towhee (hybrid)	0.0007%