



## Target Species

Based on 222,821 complete checklists

**454** species observed in Colorado, US (region/US-CO) in **May** that you need for your **Colorado Life List**

1. American Robin	57.82% frequency
2. Red-winged Blackbird	47.73%
3. Mourning Dove	43.18%
4. House Finch	39.96%
5. Mallard	37.21%
6. Common Grackle	34.37%
7. European Starling	32.87%
8. House Wren	32.85%
9. Yellow-rumped Warbler	32.80%
10. Northern Flicker	32.70%
11. Canada Goose	32.51%
12. Western Meadowlark	29.60%
13. Yellow Warbler	29.51%
14. Barn Swallow	28.54%
15. Black-billed Magpie	28.08%
16. Black-capped Chickadee	27.10%
17. Eurasian Collared-Dove	25.46%

18. Broad-tailed Hummingbird	24.72%
19. Brown-headed Cowbird	23.55%
20. Bullock's Oriole	22.90%
21. Blue Jay	22.89%
22. American Goldfinch	22.81%
23. Spotted Towhee	22.45%
24. Western Kingbird	22.13%
25. Song Sparrow	21.94%
26. American Crow	21.93%
27. Red-tailed Hawk	21.68%
28. Chipping Sparrow	19.75%
29. Killdeer	19.71%
30. Great Blue Heron	19.17%
31. House Sparrow	18.58%
32. Tree Swallow	18.00%
33. Violet-green Swallow	17.25%
34. Double-crested Cormorant	16.67%
35. Say's Phoebe	16.24%
36. Cliff Swallow	16.08%
37. Common Raven	15.62%
38. Turkey Vulture	15.56%
39. Downy Woodpecker	15.26%
40. White-crowned Sparrow	13.21%

41. <b>Spotted Sandpiper</b>	<b>12.83%</b>
42. <b>Western Tanager</b>	<b>12.33%</b>
43. <b>Black-headed Grosbeak</b>	<b>12.30%</b>
44. <b>American White Pelican</b>	<b>12.16%</b>
45. <b>Western Wood-Pewee</b>	<b>11.58%</b>
46. <b>Gadwall</b>	<b>11.55%</b>
47. <b>White-breasted Nuthatch</b>	<b>11.24%</b>
48. <b>Pine Siskin</b>	<b>10.90%</b>
49. <b>Blue-winged Teal</b>	<b>10.84%</b>
50. <b>Lark Sparrow</b>	<b>10.70%</b>
51. <b>Rock Pigeon</b>	<b>10.68%</b>
52. <b>Northern Rough-winged Swallow</b>	<b>10.25%</b>
53. <b>American Kestrel</b>	<b>10.07%</b>
54. <b>Swainson's Hawk</b>	<b>9.49%</b>
55. <b>American Coot</b>	<b>9.26%</b>
56. <b>Common Yellowthroat</b>	<b>9.21%</b>
57. <b>Gray Catbird</b>	<b>8.85%</b>
58. <b>Mountain Chickadee</b>	<b>8.35%</b>
59. <b>Warbling Vireo</b>	<b>8.10%</b>
60. <b>Northern Shoveler</b>	<b>8.04%</b>
61. <b>Western Grebe</b>	<b>7.94%</b>
62. <b>Black-chinned Hummingbird</b>	<b>7.72%</b>
63. <b>Osprey</b>	<b>7.52%</b>

64. Lazuli Bunting	7.42%
65. Eastern Kingbird	7.29%
66. Orange-crowned Warbler	7.23%
67. Blue-gray Gnatcatcher	7.21%
68. Vesper Sparrow	7.17%
69. Brewer's Blackbird	6.87%
70. Dark-eyed Junco	6.82%
71. Lesser Goldfinch	6.68%
72. Yellow-headed Blackbird	6.63%
73. Horned Lark	6.48%
74. Cinnamon Teal	6.47%
75. Belted Kingfisher	6.46%
76. American Avocet	6.45%
77. Yellow-breasted Chat	6.41%
78. Woodhouse's Scrub-Jay	6.33%
79. Steller's Jay	6.17%
80. Swainson's Thrush	6.09%
81. Green-tailed Towhee	6.08%
82. Red-breasted Nuthatch	5.81%
83. Great-tailed Grackle	5.55%
84. Lincoln's Sparrow	5.52%
85. Cooper's Hawk	5.47%
86. Snowy Egret	5.36%

87. Mountain Bluebird	5.32%
88. Ruby-crowned Kinglet	5.26%
89. Green-winged Teal	5.19%
90. Bald Eagle	5.15%
91. Northern Mockingbird	5.15%
92. Bushtit	5.06%
93. Wilson's Phalarope	5.03%
94. Great Horned Owl	5.02%
95. Hairy Woodpecker	4.77%
96. Pygmy Nuthatch	4.63%
97. Ring-billed Gull	4.62%
98. Ruddy Duck	4.49%
99. Wilson's Warbler	4.33%
100. Brewer's Sparrow	4.33%
101. Plumbeous Vireo	4.27%
102. Pied-billed Grebe	4.22%
103. Clay-colored Sparrow	4.20%
104. Wood Duck	4.15%
105. Lark Bunting	4.10%
106. Common Merganser	3.96%
107. Cedar Waxwing	3.91%
108. Brown Thrasher	3.79%
109. Virginia's Warbler	3.56%

110. MacGillivray's Warbler	3.51%
111. Eared Grebe	3.45%
112. White-faced Ibis	3.44%
113. Black-crowned Night Heron	3.35%
114. Western Bluebird	3.32%
115. Dusky Flycatcher	3.30%
116. American Wigeon	3.24%
117. Wild Turkey	3.20%
118. Bank Swallow	3.16%
119. Rock Wren	3.14%
120. Hermit Thrush	3.06%
121. Redhead	2.94%
122. Blue Grosbeak	2.81%
123. White-throated Swift	2.76%
124. Cassin's Finch	2.65%
125. Lesser Scaup	2.64%
126. Least Flycatcher	2.60%
127. Ash-throated Flycatcher	2.60%
128. Evening Grosbeak	2.59%
129. Savannah Sparrow	2.51%
130. Loggerhead Shrike	2.49%
131. Long-billed Dowitcher	2.34%
132. Orchard Oriole	2.30%

133. <b>Bufflehead</b>	<b>2.29%</b>
134. <b>Ring-necked Duck</b>	<b>2.15%</b>
135. <b>Western Flycatcher</b>	<b>2.13%</b>
136. <b>Northern Harrier</b>	<b>2.03%</b>
137. <b>Franklin's Gull</b>	<b>1.91%</b>
138. <b>Chimney Swift</b>	<b>1.89%</b>
139. <b>Willet</b>	<b>1.83%</b>
140. <b>Least Sandpiper</b>	<b>1.79%</b>
141. <b>Black-necked Stilt</b>	<b>1.79%</b>
142. <b>Sora</b>	<b>1.74%</b>
143. <b>Virginia Rail</b>	<b>1.72%</b>
144. <b>Townsend's Solitaire</b>	<b>1.69%</b>
145. <b>Northern Waterthrush</b>	<b>1.68%</b>
146. <b>Golden Eagle</b>	<b>1.66%</b>
147. <b>Wilson's Snipe</b>	<b>1.58%</b>
148. <b>Red Crossbill</b>	<b>1.56%</b>
149. <b>Marsh Wren</b>	<b>1.54%</b>
150. <b>Red-headed Woodpecker</b>	<b>1.47%</b>
151. <b>Forster's Tern</b>	<b>1.45%</b>
152. <b>American Redstart</b>	<b>1.40%</b>
153. <b>California Gull</b>	<b>1.40%</b>
154. <b>Canyon Wren</b>	<b>1.36%</b>
155. <b>Lesser Yellowlegs</b>	<b>1.32%</b>

156. <b>Great Egret</b>	<b>1.30%</b>
157. <b>Rose-breasted Grosbeak</b>	<b>1.26%</b>
158. <b>Olive-sided Flycatcher</b>	<b>1.25%</b>
159. <b>Lewis's Woodpecker</b>	<b>1.24%</b>
160. <b>Black-throated Gray Warbler</b>	<b>1.24%</b>
161. <b>Red-naped Sapsucker</b>	<b>1.22%</b>
162. <b>Red-necked Phalarope</b>	<b>1.22%</b>
163. <b>Eastern Phoebe</b>	<b>1.21%</b>
164. <b>Burrowing Owl</b>	<b>1.21%</b>
165. <b>Common Nighthawk</b>	<b>1.20%</b>
166. <b>Cassin's Kingbird</b>	<b>1.20%</b>
167. <b>Clark's Grebe</b>	<b>1.19%</b>
168. <b>Willow Flycatcher</b>	<b>1.14%</b>
169. <b>American Pipit</b>	<b>1.07%</b>
170. <b>American Dipper</b>	<b>1.05%</b>
171. <b>Clark's Nutcracker</b>	<b>1.04%</b>
172. <b>Gray Flycatcher</b>	<b>1.01%</b>
173. <b>Bewick's Wren</b>	<b>1.00%</b>
174. <b>Northern Pintail</b>	<b>1.00%</b>
175. <b>Pinyon Jay</b>	<b>0.9927%</b>
176. <b>Sharp-shinned Hawk</b>	<b>0.9586%</b>
177. <b>Hooded Merganser</b>	<b>0.9308%</b>
178. <b>Solitary Sandpiper</b>	<b>0.9308%</b>



179. <b>Peregrine Falcon</b>	<b>0.9137%</b>
180. <b>Ovenbird</b>	<b>0.9003%</b>
181. <b>Ladder-backed Woodpecker</b>	<b>0.8980%</b>
182. <b>Cassin's Sparrow</b>	<b>0.8944%</b>
183. <b>Hammond's Flycatcher</b>	<b>0.8882%</b>
184. <b>Mississippi Kite</b>	<b>0.8724%</b>
185. <b>Greater Yellowlegs</b>	<b>0.8675%</b>
186. <b>Gambel's Quail</b>	<b>0.8554%</b>
187. <b>White-winged Dove</b>	<b>0.8455%</b>
188. <b>Grasshopper Sparrow</b>	<b>0.8150%</b>
189. <b>Common Poorwill</b>	<b>0.8105%</b>
190. <b>Scaled Quail</b>	<b>0.8092%</b>
191. <b>Semipalmated Sandpiper</b>	<b>0.7912%</b>
192. <b>Broad-winged Hawk</b>	<b>0.7602%</b>
193. <b>Semipalmated Plover</b>	<b>0.7127%</b>
194. <b>Black Phoebe</b>	<b>0.6947%</b>
195. <b>Blackpoll Warbler</b>	<b>0.6876%</b>
196. <b>Canyon Towhee</b>	<b>0.6822%</b>
197. <b>Prairie Falcon</b>	<b>0.6678%</b>
198. <b>Baird's Sandpiper</b>	<b>0.6651%</b>
199. <b>Black Tern</b>	<b>0.6521%</b>
200. <b>Red-eyed Vireo</b>	<b>0.6395%</b>
201. <b>Bobolink</b>	<b>0.6373%</b>

202. Curve-billed Thrasher	0.6225%
203. Marbled Godwit	0.6072%
204. Northern Parula	0.6063%
205. Juniper Titmouse	0.5969%
206. Indigo Bunting	0.5852%
207. Summer Tanager	0.5807%
208. Stilt Sandpiper	0.5677%
209. Sage Thrasher	0.5403%
210. Brown Creeper	0.5323%
211. Sandhill Crane	0.5237%
212. Black-and-white Warbler	0.5009%
213. Northern Cardinal	0.4982%
214. Gray Vireo	0.4883%
215. Western Sandpiper	0.4869%
216. Black-throated Sparrow	0.4816%
217. Veery	0.4780%
218. Common Goldeneye	0.4753%
219. Band-tailed Pigeon	0.4694%
220. Williamson's Sapsucker	0.4676%
221. Bonaparte's Gull	0.4578%
222. Baltimore Oriole	0.4398%
223. Ferruginous Hawk	0.4367%
224. Chihuahuan Raven	0.4187%

225. Canvasback	0.4142%
226. Green Heron	0.3976%
227. Fox Sparrow	0.3922%
228. American Bittern	0.3635%
229. Chestnut-sided Warbler	0.3635%
230. Horned Grebe	0.3626%
231. Tennessee Warbler	0.3626%
232. Sanderling	0.3581%
233. White-throated Sparrow	0.3581%
234. Barn Owl	0.3572%
235. Common Loon	0.3451%
236. Thick-billed Longspur	0.3299%
237. Hooded Warbler	0.3276%
238. Grace's Warbler	0.3151%
239. White-rumped Sandpiper	0.3056%
240. Snowy Plover	0.2957%
241. Caspian Tern	0.2872%
242. Nashville Warbler	0.2868%
243. Western Cattle Egret	0.2827%
244. Long-billed Curlew	0.2792%
245. Magnolia Warbler	0.2724%
246. Red-bellied Woodpecker	0.2711%
247. Canada Jay	0.2711%

248. <b>Palm Warbler</b>	<b>0.2634%</b>
249. <b>Eastern Bluebird</b>	<b>0.2612%</b>
250. <b>Dusky Grouse</b>	<b>0.2603%</b>
251. <b>Whimbrel</b>	<b>0.2379%</b>
252. <b>Mountain Plover</b>	<b>0.2338%</b>
253. <b>Great Crested Flycatcher</b>	<b>0.2302%</b>
254. <b>Black-throated Blue Warbler</b>	<b>0.2177%</b>
255. <b>Field Sparrow</b>	<b>0.2091%</b>
256. <b>Golden-crowned Kinglet</b>	<b>0.1966%</b>
257. <b>Northern Bobwhite</b>	<b>0.1930%</b>
258. <b>Brown-capped Rosy-Finch</b>	<b>0.1930%</b>
259. <b>Harris's Sparrow</b>	<b>0.1898%</b>
260. <b>Pine Grosbeak</b>	<b>0.1885%</b>
261. <b>Eastern Screech-Owl</b>	<b>0.1840%</b>
262. <b>White-eyed Vireo</b>	<b>0.1795%</b>
263. <b>Black-bellied Plover</b>	<b>0.1746%</b>
264. <b>Townsend's Warbler</b>	<b>0.1723%</b>
265. <b>Snow Goose</b>	<b>0.1719%</b>
266. <b>American Three-toed Woodpecker</b>	<b>0.1696%</b>
267. <b>Dickcissel</b>	<b>0.1692%</b>
268. <b>Golden-winged Warbler</b>	<b>0.1679%</b>
269. <b>Cassin's Vireo</b>	<b>0.1562%</b>
270. <b>Cackling Goose</b>	<b>0.1539%</b>

271. <b>Yellow-throated Vireo</b>	<b>0.1535%</b>
272. <b>Blue-winged Warbler</b>	<b>0.1486%</b>
273. <b>Piping Plover</b>	<b>0.1468%</b>
274. <b>Yellow-crowned Night Heron</b>	<b>0.1441%</b>
275. <b>Bell's Vireo</b>	<b>0.1423%</b>
276. <b>Yellow-billed Cuckoo</b>	<b>0.1396%</b>
277. <b>Sagebrush Sparrow</b>	<b>0.1360%</b>
278. <b>Chestnut-collared Longspur</b>	<b>0.1355%</b>
279. <b>Greater Roadrunner</b>	<b>0.1351%</b>
280. <b>Northern Saw-whet Owl</b>	<b>0.1288%</b>
281. <b>Rufous-crowned Sparrow</b>	<b>0.1189%</b>
282. <b>Flammulated Owl</b>	<b>0.1135%</b>
283. <b>Black Rail</b>	<b>0.1108%</b>
284. <b>Worm-eating Warbler</b>	<b>0.1073%</b>
285. <b>American Goshawk</b>	<b>0.1046%</b>
286. <b>Long-eared Owl</b>	<b>0.1041%</b>
287. <b>Yellow-throated Warbler</b>	<b>0.1023%</b>
288. <b>Hudsonian Godwit</b>	<b>0.1010%</b>
289. <b>Red-breasted Merganser</b>	<b>0.0965%</b>
290. <b>Northern Pygmy-Owl</b>	<b>0.0960%</b>
291. <b>Gray-cheeked Thrush</b>	<b>0.0951%</b>
292. <b>Mourning Warbler</b>	<b>0.0951%</b>
293. <b>Lucy's Warbler</b>	<b>0.0929%</b>

294. <b>Blackburnian Warbler</b>	<b>0.0929%</b>
295. <b>Upland Sandpiper</b>	<b>0.0925%</b>
296. <b>White Ibis</b>	<b>0.0826%</b>
297. <b>Wood Thrush</b>	<b>0.0826%</b>
298. <b>Scarlet Tanager</b>	<b>0.0817%</b>
299. <b>Prothonotary Warbler</b>	<b>0.0812%</b>
300. <b>Western Screech-Owl</b>	<b>0.0776%</b>
301. <b>Purple Martin</b>	<b>0.0763%</b>
302. <b>Vermilion Flycatcher</b>	<b>0.0754%</b>
303. <b>Black-throated Green Warbler</b>	<b>0.0754%</b>
304. <b>Greater White-fronted Goose</b>	<b>0.0700%</b>
305. <b>Common Tern</b>	<b>0.0691%</b>
306. <b>Chukar</b>	<b>0.0682%</b>
307. <b>Merlin</b>	<b>0.0651%</b>
308. <b>Carolina Wren</b>	<b>0.0651%</b>
309. <b>Kentucky Warbler</b>	<b>0.0651%</b>
310. <b>Little Blue Heron</b>	<b>0.0633%</b>
311. <b>Glossy Ibis</b>	<b>0.0633%</b>
312. <b>Painted Bunting</b>	<b>0.0610%</b>
313. <b>Yellow Grosbeak</b>	<b>0.0606%</b>
314. <b>Scissor-tailed Flycatcher</b>	<b>0.0592%</b>
315. <b>Alder Flycatcher</b>	<b>0.0579%</b>
316. <b>Cape May Warbler</b>	<b>0.0552%</b>

317. <b>Prairie Warbler</b>	<b>0.0552%</b>
318. <b>Greater Scaup</b>	<b>0.0547%</b>
319. <b>Pectoral Sandpiper</b>	<b>0.0547%</b>
320. <b>Neotropic Cormorant</b>	<b>0.0547%</b>
321. <b>Bay-breasted Warbler</b>	<b>0.0521%</b>
322. <b>Least Bittern</b>	<b>0.0512%</b>
323. <b>Short-billed Dowitcher</b>	<b>0.0489%</b>
324. <b>Ruddy Turnstone</b>	<b>0.0480%</b>
325. <b>Swamp Sparrow</b>	<b>0.0467%</b>
326. <b>Barrow's Goldeneye</b>	<b>0.0462%</b>
327. <b>Sharp-tailed Grouse</b>	<b>0.0462%</b>
328. <b>Scott's Oriole</b>	<b>0.0458%</b>
329. <b>Hepatic Tanager</b>	<b>0.0458%</b>
330. <b>Herring Gull</b>	<b>0.0440%</b>
331. <b>Least Tern</b>	<b>0.0440%</b>
332. <b>Philadelphia Vireo</b>	<b>0.0435%</b>
333. <b>Greater Sage-Grouse</b>	<b>0.0422%</b>
334. <b>Golden-crowned Warbler</b>	<b>0.0404%</b>
335. <b>Common Gallinule</b>	<b>0.0399%</b>
336. <b>White-tailed Ptarmigan</b>	<b>0.0395%</b>
337. <b>Lesser Nighthawk</b>	<b>0.0382%</b>
338. <b>Mexican Duck</b>	<b>0.0359%</b>
339. <b>Garganey</b>	<b>0.0328%</b>

340. <b>Canada Warbler</b>	<b>0.0301%</b>
341. <b>Greater Prairie-Chicken</b>	<b>0.0287%</b>
342. <b>Painted Redstart</b>	<b>0.0287%</b>
343. <b>Hermit Warbler</b>	<b>0.0256%</b>
344. <b>Short-eared Owl</b>	<b>0.0251%</b>
345. <b>Ross's Goose</b>	<b>0.0238%</b>
346. <b>Acorn Woodpecker</b>	<b>0.0238%</b>
347. <b>Long-tailed Duck</b>	<b>0.0233%</b>
348. <b>Gunnison Sage-Grouse</b>	<b>0.0233%</b>
349. <b>Eastern Towhee</b>	<b>0.0229%</b>
350. <b>Dunlin</b>	<b>0.0224%</b>
351. <b>Red-necked Grebe</b>	<b>0.0220%</b>
352. <b>Mexican Whip-poor-will</b>	<b>0.0211%</b>
353. <b>Red-throated Loon</b>	<b>0.0198%</b>
354. <b>Pacific Loon</b>	<b>0.0193%</b>
355. <b>Lesser Black-backed Gull</b>	<b>0.0189%</b>
356. <b>Gray-crowned Rosy-Finch</b>	<b>0.0166%</b>
357. <b>Boreal Owl</b>	<b>0.0162%</b>
358. <b>Chihuahuan Meadowlark</b>	<b>0.0162%</b>
359. <b>Pine Warbler</b>	<b>0.0157%</b>
360. <b>Baird's Sparrow</b>	<b>0.0153%</b>
361. <b>Eastern Wood-Pewee</b>	<b>0.0148%</b>
362. <b>Black Swift</b>	<b>0.0144%</b>



363. <b>Black Rosy-Finch</b>	<b>0.0144%</b>
364. <b>Lesser Prairie-Chicken</b>	<b>0.0139%</b>
365. <b>Brown Pelican</b>	<b>0.0135%</b>
366. <b>Golden-crowned Sparrow</b>	<b>0.0130%</b>
367. <b>Arctic Tern</b>	<b>0.0112%</b>
368. <b>Laughing Gull</b>	<b>0.0108%</b>
369. <b>Tricolored Heron</b>	<b>0.0108%</b>
370. <b>Ruby-throated Hummingbird</b>	<b>0.0103%</b>
371. <b>Sabine's Gull</b>	<b>0.0099%</b>
372. <b>Blue-headed Vireo</b>	<b>0.0094%</b>
373. <b>Surf Scoter</b>	<b>0.0081%</b>
374. <b>Trumpeter Swan</b>	<b>0.0076%</b>
375. <b>Calliope Hummingbird</b>	<b>0.0076%</b>
376. <b>Acadian Flycatcher</b>	<b>0.0072%</b>
377. <b>Black-chinned Sparrow</b>	<b>0.0067%</b>
378. <b>Eastern Meadowlark</b>	<b>0.0067%</b>
379. <b>Black-legged Kittiwake</b>	<b>0.0058%</b>
380. <b>Winter Wren</b>	<b>0.0054%</b>
381. <b>Swainson's Warbler</b>	<b>0.0054%</b>
382. <b>Tundra Swan</b>	<b>0.0040%</b>
383. <b>American Golden-Plover</b>	<b>0.0040%</b>
384. <b>Red Phalarope</b>	<b>0.0040%</b>
385. <b>Ruff</b>	<b>0.0040%</b>

386. <b>Common Redpoll</b>	<b>0.0040%</b>
387. <b>White-winged Crossbill</b>	<b>0.0040%</b>
388. <b>Common Black Hawk</b>	<b>0.0036%</b>
389. <b>Zone-tailed Hawk</b>	<b>0.0036%</b>
390. <b>Spotted Owl</b>	<b>0.0031%</b>
391. <b>Connecticut Warbler</b>	<b>0.0031%</b>
392. <b>Mottled Duck</b>	<b>0.0027%</b>
393. <b>Eastern Whip-poor-will</b>	<b>0.0022%</b>
394. <b>Iceland Gull</b>	<b>0.0022%</b>
395. <b>Red-shouldered Hawk</b>	<b>0.0022%</b>
396. <b>Varied Thrush</b>	<b>0.0022%</b>
397. <b>Bohemian Waxwing</b>	<b>0.0022%</b>
398. <b>Red-faced Warbler</b>	<b>0.0022%</b>
399. <b>Black Scoter</b>	<b>0.0018%</b>
400. <b>Black-billed Cuckoo</b>	<b>0.0018%</b>
401. <b>Rufous Hummingbird</b>	<b>0.0018%</b>
402. <b>Red Knot</b>	<b>0.0018%</b>
403. <b>Yellow-bellied Sapsucker</b>	<b>0.0018%</b>
404. <b>Yellow-bellied Flycatcher</b>	<b>0.0018%</b>
405. <b>Sedge Wren</b>	<b>0.0018%</b>
406. <b>Louisiana Waterthrush</b>	<b>0.0018%</b>
407. <b>White-winged Scoter</b>	<b>0.0014%</b>
408. <b>Inca Dove</b>	<b>0.0014%</b>

409. <b>Reddish Egret</b>	<b>0.0014%</b>
410. <b>Rough-legged Hawk</b>	<b>0.0014%</b>
411. <b>Purple Finch</b>	<b>0.0014%</b>
412. <b>Lawrence's Goldfinch</b>	<b>0.0014%</b>
413. <b>Bronzed Cowbird</b>	<b>0.0014%</b>
414. <b>Rivoli's Hummingbird</b>	<b>0.0009%</b>
415. <b>King Rail</b>	<b>0.0009%</b>
416. <b>American Woodcock</b>	<b>0.0009%</b>
417. <b>Glaucous-winged Gull</b>	<b>0.0009%</b>
418. <b>Yellow-billed Loon</b>	<b>0.0009%</b>
419. <b>Anhinga</b>	<b>0.0009%</b>
420. <b>American Tree Sparrow</b>	<b>0.0009%</b>
421. <b>Hooded Oriole</b>	<b>0.0009%</b>
422. <b>Rusty Blackbird</b>	<b>0.0009%</b>
423. <b>Costa's Hummingbird</b>	<b>0.0004%</b>
424. <b>Sharp-tailed Sandpiper</b>	<b>0.0004%</b>
425. <b>Buff-breasted Sandpiper</b>	<b>0.0004%</b>
426. <b>Pomarine Jaeger</b>	<b>0.0004%</b>
427. <b>Little Gull</b>	<b>0.0004%</b>
428. <b>Ross's Gull</b>	<b>0.0004%</b>
429. <b>Western Gull</b>	<b>0.0004%</b>
430. <b>Great Black-backed Gull</b>	<b>0.0004%</b>
431. <b>Glaucous Gull</b>	<b>0.0004%</b>

432. <b>Black Vulture</b>	<b>0.0004%</b>
433. <b>Northern Shrike</b>	<b>0.0004%</b>
434. <b>Cassia Crossbill</b>	<b>0.0004%</b>
435. <b>Lapland Longspur</b>	<b>0.0004%</b>
436. <b>LeConte's Sparrow</b>	<b>0.0004%</b>
437. <b>Pyrrhuloxia</b>	<b>0.0004%</b>
438. <b>Eurasian Wigeon</b>	<b>0.0000%</b>
439. <b>Harlequin Duck</b>	<b>0.0000%</b>
440. <b>Common Ground Dove</b>	<b>0.0000%</b>
441. <b>Anna's Hummingbird</b>	<b>0.0000%</b>
442. <b>Long-tailed Jaeger</b>	<b>0.0000%</b>
443. <b>White-tailed Kite</b>	<b>0.0000%</b>
444. <b>Swallow-tailed Kite</b>	<b>0.0000%</b>
445. <b>Buff-breasted Flycatcher</b>	<b>0.0000%</b>
446. <b>Bendire's Thrasher</b>	<b>0.0000%</b>
447. <b>Phainopepla</b>	<b>0.0000%</b>
448. <b>Sprague's Pipit</b>	<b>0.0000%</b>
449. <b>Nelson's Sparrow</b>	<b>0.0000%</b>
450. <b>Cerulean Warbler</b>	<b>0.0000%</b>
451. <b>Tropical Parula</b>	<b>0.0000%</b>
<b>EXOTIC: PROVISIONAL</b>	
452. <b>Ring-necked Pheasant</b>	<b>1.60% frequency</b> ■
453. <b>Rufous-collared Sparrow</b>	<b>0.0067%</b> 

454. Variable Hawk	0.0000%
--------------------	---------

### EXOTIC: ESCAPEE

Mute Swan	0.0426% frequency
-----------	-------------------

Graylag Goose	0.0328%
---------------	---------

African Collared-Dove	0.0139%
-----------------------	---------

Indian Peafowl	0.0058%
----------------	---------

Swan Goose	0.0049%
------------	---------

Muscovy Duck	0.0045%
--------------	---------

Black Swan	0.0031%
------------	---------

Monk Parakeet	0.0031%
---------------	---------

Mandarin Duck	0.0009%
---------------	---------

Helmeted Guineafowl	0.0009%
---------------------	---------

Red Junglefowl	0.0009%
----------------	---------

Budgerigar	0.0009%
------------	---------

Whooping Crane	0.0000%
----------------	---------

California Quail	0.0000%
------------------	---------

### HYBRIDS

Bullock's x Baltimore Oriole (hybrid)	0.0943% frequency
---------------------------------------	-------------------

Lazuli x Indigo Bunting (hybrid)	0.0857%
----------------------------------	---------

Graylag x Swan Goose (hybrid)	0.0494%
-------------------------------	---------

Black x Eastern Phoebe (hybrid)	0.0390%
---------------------------------	---------

Graylag x Canada Goose (hybrid)	0.0368%
---------------------------------	---------

Spotted x Eastern Towhee (hybrid)	<b>0.0229%</b>
Western x Clark's Grebe (hybrid)	<b>0.0189%</b>
Blue-winged x Cinnamon Teal (hybrid)	<b>0.0175%</b>
Mallard x Mexican Duck (hybrid)	<b>0.0157%</b>
Glossy x White-faced Ibis (hybrid)	<b>0.0153%</b>
Steller's Jay x Woodhouse's Scrub-Jay (hybrid)	<b>0.0094%</b>
Greater White-fronted x Canada Goose (hybrid)	<b>0.0090%</b>
Rose-breasted x Black-headed Grosbeak (hybrid)	<b>0.0058%</b>
Golden-winged x Blue-winged Warbler (hybrid)	<b>0.0027%</b>
Townsend's x Black-throated Green Warbler (hybrid)	<b>0.0027%</b>
Black-capped x Mountain Chickadee (hybrid)	<b>0.0022%</b>
Blue-winged Teal x Northern Shoveler (hybrid)	<b>0.0018%</b>
Hooded x Yellow Warbler (hybrid)	<b>0.0018%</b>
Domestic goose sp. x Canada Goose (hybrid)	<b>0.0014%</b>
Gadwall x Mallard (hybrid)	<b>0.0014%</b>
Brewster's Warbler (hybrid)	<b>0.0014%</b>
Swan Goose x Canada Goose (hybrid)	<b>0.0009%</b>
Mallard x Northern Pintail (hybrid)	<b>0.0009%</b>
Western x Eastern Wood-Pewee (hybrid)	<b>0.0009%</b>
Snow x Ross's Goose (hybrid)	<b>0.0004%</b>
Blue-winged Teal x American Wigeon (hybrid)	<b>0.0004%</b>
Northern Shoveler x American Wigeon (hybrid)	<b>0.0004%</b>

Muscovy Duck x Mallard (hybrid)	0.0004%
Canvasback x Redhead (hybrid)	0.0004%
Redhead x Ring-necked Duck (hybrid)	0.0004%
Ring-necked Duck x Lesser Scaup (hybrid)	0.0004%
Bufflehead x Hooded Merganser (hybrid)	0.0004%
Northern Bobwhite x Scaled Quail (hybrid)	0.0004%
Yellow-bellied x Red-naped Sapsucker (hybrid)	0.0004%
Downy x Ladder-backed Woodpecker (hybrid)	0.0004%
Downy x Hairy Woodpecker (hybrid)	0.0004%
Warbling x Red-eyed Vireo (hybrid)	0.0004%
Clay-colored x Brewer's Sparrow (hybrid)	0.0004%
Canyon x Spotted Towhee (hybrid)	0.0004%
Green-tailed x Spotted Towhee (hybrid)	0.0004%
MacGillivray's x Mourning Warbler (hybrid)	0.0004%
Yellow-rumped x Grace's Warbler (hybrid)	0.0004%